

# SHINANO®

## QUALITY JAPANESE TOOLS

February - September 2024

Prices include GST.

### Impact Wrenches

- 1/2" Compact Impact Wrench**
- 3 Position forward torque selector dial beneath trigger
  - Full-time maximum torque in reverse
  - Forward/Reverse toggle switch
  - Responsive 8 vane motor
  - Feather touch trigger

**112 MM HEAD LENGTH**  
(including Anvil)

Max Torque: 550 Ft/lbs  
Free Speed: 9,000 RPM  
Bolt Cap: 16 MM  
Weight: 1.17 Kg

**\$349**  
PN: SI1455SR



**3/8" Butterfly Wrench**  
Max Torque: 66 Ft/lbs  
Length: 158 MM  
Weight: 0.94 Kg

**\$319**  
PN: SI1305



**1/2" Impact Wrench Kit**  
• Twin Hammer

Max Torque: 369 Ft/lbs  
Free Speed: 6,000 RPM  
Bolt Cap: 16 MM  
Weight: 2.55 Kg

**\$389**  
PN: SI1420T



- 1/2" Impact Wrench**
- Responsive 8 vane motor
  - Forward/Reverse selector
  - 4 position speed selector
  - Feather touch trigger
  - Twin Hammer

**Improved Motor!**

Max Torque: 627 Ft/lbs  
Free Speed: 8,500 RPM  
Bolt Cap: 20 MM  
Weight: 1.9 Kg

**\$489**  
PN: SI1490B



**3/4" Impact Wrench**  
Max Torque: 1,217 Ft/lbs  
Bolt Cap: 24 MM  
Length: 218 MM  
Weight: 3.25 Kg

**\$899**  
PN: SI1550



**1" Impact Wrench**  
Max Torque: 1,217 Ft/lbs  
Bolt Cap: 24 MM  
Length: 220 MM  
Weight: 3.5 Kg

**\$1,189**  
PN: SI1555SR

### Belt Sanders

- 10 MM Belt Sander**
- 160° adjustable sanding arm
  - Includes 6, 10 MM sanding belts
  - Includes in-line air regulator for quick speed adjustments

Belt Size: 330 x 10 or 12 MM  
Free Speed: 15,000 RPM  
Weight: 0.73 Kg

**SWIVEL INLET WITH REGULATOR**

**\$465**  
PN: SI2740



**20 MM Belt Sander**  
Belt Size: 520 x 20 MM  
Free Speed: 15,000 RPM  
Weight: 1.43 Kg

**\$599**  
SI2800



**30 MM Belt Sander**  
Belt Size: 540 x 30 MM  
Free Speed: 10,000 RPM  
Weight: 2.02 Kg

**\$899**  
PN: SI2830

### Compact Polishers

**NEW MODELS!**

**Includes Foam & Wool Polishing Pads!**



- Includes Optional Side handle, Foam & Wool Polishing Pads

**3" Single Action Polisher**  
Free Speed: 2,600 RPM  
Output: 180 Watts  
Length: 180 MM  
Weight: 0.68 Kg

**\$535**  
SI2009EX

**3" High Speed Single Action Polisher**  
Free Speed: 5,000 RPM  
Output: 190 Watts  
Length: 180 MM  
Weight: 0.68 Kg

**\$535**  
SI2009H

### Die Grinders

**1/4" Heavy Duty Angle Head Die Grinder**  
Free Speed: 20,000 RPM  
Length: 162 MM  
Weight: 0.56 Kg

**\$425**

PN: SI2005HD



**1/4" Small Die Grinder**  
Free Speed: 27,000 RPM  
Length: 151 MM  
Weight: 0.37 Kg

**\$269**  
PN: SI2002EX



**1/4" Medium Die Grinder**  
Free Speed: 25,000 RPM  
Length: 170 MM  
Weight: 0.60 Kg

**\$259**  
PN: SI2011S



**1/4" Medium Die Grinder**  
Free Speed: 25,000 RPM  
Length: 170 MM  
Weight: 0.37 Kg

**\$269**  
PN: SI2012EX



**1/4" High Torque Die Grinder**  
Free Speed: 5,500 RPM  
Length: 170 MM  
Weight: 0.60 Kg

**\$349**  
PN: SI2015A



**1/4" Extended Die Grinder**  
Free Speed: 24,000 RPM  
Length: 326 MM  
Weight: 1.34 Kg

**\$465**  
PN: SI2022S



### Needle Scalers

**Straight Grip Needle Scaler**  
Stroke: 4.5 MM  
Impact Rate: 3,500 BPM  
Length: 333 MM  
Weight: 2.06 Kg

**\$599**  
PN: SI4150EX



**Pistol Grip Needle Scaler**  
Stroke: 4.5 MM  
Impact Rate: 3,300 BPM  
Length: 355 MM  
Weight: 2.19 Kg

**\$649**  
PN: SI4160





## Wet Grinders & Sanders

### 5" Angle Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

**\$865**  
PN: SI2515LAWS

Spindle Size: M14x2  
Free Speed: 12,000 RPM  
Weight: 1.65 Kg



### 3-5" Wet Sander

- Waterproofed mechanism
- Water & air regulators
- Water exits through spindle

**\$925**  
PN: SI2322WRLE

Spindle Size: M14x2  
Free Speed: 5,500 RPM  
Weight: 1.32 Kg



## Ratchet Wrenches

### 1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/lbs  
Length: 168 MM  
Weight: 0.54 Kg

**\$299**  
PN: SI1217EX



### 3/8" Ratchet Wrench

Max Torque: 59 Ft/lbs  
Length: 265 MM  
Weight: 1.16 Kg

**\$249**  
PN: SI1320A



### 3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/lbs  
Length: 168 MM  
Weight: 0.54 Kg

**\$299**  
PN: SI1218EX

### 3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 MM sockets, 3/8" square drive.  
Max Torque: 33 Ft/lbs  
Length: 211 MM  
Weight: 0.54 Kg

**\$585**  
PN: SI1288S



**IDEAL FOR  
HARD TO ACCESS  
NUTS & BOLTS**

### 3/8" Ratchet Wrench

Max Torque: 85 Ft/lbs  
Length: 263 MM  
Weight: 1.15 Kg

**\$319**  
PN: SI1340EX



### 1/2" Ratchet Wrench

Max Torque: 85 Ft/lbs  
Length: 263 MM  
Weight: 1.15 Kg

**\$319**  
PN: SI1345EX



### 1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/lbs  
Length: 368 MM  
Weight: 1.95 Kg

**\$539**  
PN: SI1435

## Hammering Tools

10.2 MM Pistol Grip  
Air Hammer  
Length: 208 MM  
Impact Rate: 2,600 BPM  
Weight: 1.60 Kg

**\$299**  
PN: SI4120A



### Spring Retainer

Suits most hammers.

**\$19**  
PN: GPA70X2



20 MM Flat Chisel  
Shank Dia.: 10.2 MM

**\$41**  
PN: SI810



60 MM Paint  
Scraper Chisel  
Shank Dia.: 10.2 MM

**\$76**  
PN: SI823



## Air Tool Oil

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml  
Air Tool Oil  
**\$13**  
PN: SI250

1 Litre  
Air Tool Oil  
**\$27**  
PN: SI1000

5 Litre  
Air Tool Oil  
**\$97**  
PN: SI5000



## Heavy Duty Impact Wrenches

### 1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs  
Bolt Cap: 41 MM  
Length: 285 MM  
Weight: 10.9 Kg

**\$1,599**  
PN: SI1860

Also available with  
6" anvil (SI1866) or  
8" anvil (SI1868).



### 1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs  
Bolt Cap: 41 MM  
Length: 350 MM  
Weight: 10.6 Kg

**\$1,599**  
PN: SI1870



Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

### 1" H-Duty Impact Wrench

Max Torque: 2430 Ft/lbs  
Bolt Cap: 46 MM  
Length: 420 MM  
Weight: 15.4 Kg

**\$2,049**  
PN: SI1880

### 8" Anvil

**\$2,379**  
PN: SI1888



### 1-1/2" H-Duty Impact Wrench

Max Torque: 4,060 Ft/lbs  
Bolt Cap: 55 MM  
Length: 510 MM  
Weight: 18.0 Kg

**\$3,195**  
PN: SI1900



## Angle Grinders

### 4" Angle Grinder

Spindle Size: M10 x 1.5  
Free Speed: 12,700 RPM  
Weight: 1.82 Kg

**\$585**  
PN: SI2500L



- Governed for optimal disc RPM

### 5" Angle Grinder

Spindle Size: M14x2  
Free Speed: 12,000 RPM  
Weight: 1.65 Kg

**\$599**  
PN: SI2515LA



- Governed for optimal disc RPM
- Spindle Lock

### 7" Angle Grinder

Free Speed: 7,500 RPM  
Length: 337 MM  
Weight: 3.24 Kg

**\$799**  
SI2600L



- Speed governed for optimal disc RPM
- Spline disc receiver and nut

## Drills

### 3/8" Compact Drill

• Non-reversible  
Chuck Size: 10 MM  
Free Speed: 2,600 RPM  
Length: 130 MM  
Weight: 0.79 Kg

**\$279**  
PN: SI5500



### 3/8" Straight Drill

Chuck Size: 10 MM  
Free Speed: 6,000 RPM  
Length: 231 MM  
Weight: 1.06 Kg

**\$415**  
PN: SI2015AD



### 3/8" H-Duty Reversible Drill

Chuck Size: 10 MM  
Free Speed: 2,000 RPM  
Length: 132 MM  
Weight: 1.02 Kg

**\$399**  
SI5305A



### 1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 MM  
Free Speed: 800 RPM  
Length: 155 MM  
Weight: 1.45 Kg

**\$565**  
PN: SI5305-8A





## Palm Grip Sanders

**3" Mini Orbital Sander**  
Free Speed: 12,000 RPM  
Orbit Dia.: 3 MM  
Weight: 0.54 Kg

**\$475**

PN: SI3102



**6" Dual Action Sander**  
Free Speed: 10,000 RPM  
Orbit Dia.: 5 MM  
Weight: 0.94 Kg

**\$589**

PN: SI3101-6



**100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander**  
Free Speed: 10,000 RPM  
Orbit Dia.: 4 MM  
Weight: 1.15 Kg

**\$465**

PN: SI3011A



**6" Dual Action Dust-Free Sander**  
Free Speed: 10,000 RPM  
Orbit Dia.: 5 MM  
Weight: 1.29 Kg

**\$699**

PN: SI3111-6



## Disc Sanders

**Mini Dual Action Sander**

- Velcro Pad
- 2 Speed
- Free Speed: 15,000 RPM
- Pad Size: 75 MM
- Orbit Dia.: 3 MM
- Weight: 0.52 Kg

**\$310**

PN: SI2110



**2" Disc Sander Kit**  
Free Speed: 17,000 RPM  
Length: 144 MM  
Weight: 0.50 Kg

Includes 2  
Abrasive Discs

**\$259**

PN: SI2201



**4" High Speed Disc Sander**  
• 3" & 4" pads, 75 MM backing pad & abrasives  
Free Speed: 19,000 RPM  
Length: 167 MM  
Weight: 0.99 Kg

**\$289**

PN: SI2210R



**6" Dual Action Sander**  
• Velcro Pad

**\$299**

SI3100

Free Speed: 10,000 RPM  
Orbit Dia.: 7 MM  
Weight: 1.82 Kg



## Angle Head Sanders

**5" Angle Head Disc Sander**  
Spindle: 5/8 x 11 UNC  
Length: 285 MM  
Free Speed: 5,500 RPM  
Weight: 1.50 Kg

**\$515**

PN: SI2026S



**7" Heavy Duty Angle Sander**  
Spindle: 5/8 x 11 UNC  
Length: 358 MM  
Free Speed: 4,500 RPM  
Weight: 2.13 Kg

**\$515**

PN: SI2351



## Polishers

**75 MM Pistol Grip Polisher**  
• Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads  
Free Speed: 4,500 RPM  
Length: 147 MM  
Weight: 0.64 Kg

**\$389**

PN: SI2221



**7" Heavy Duty Angle Polisher**  
Spindle: 5/8 x 11 UNC  
Length: 358 MM  
Free Speed: 2,300 RPM  
Weight: 2.13 Kg

**\$515**

PN: SI2451



## Cutting Tools

**3" Cut Off Grinder**

Length: 196 MM  
Free Speed: 20,000 RPM  
Weight: 1.00 Kg

**\$269**

PN: SI2033



**Air Nibbler**

Free Speed: 2,600 SPM  
Length: 175 MM  
Weight: 1.00 Kg

**\$485**

PN: SI4600



**3" Cut Off Discs Pack of 5**  
PN: C0007K \$27

**Multifunction Body Saw**  
Stroke Length: 10 MM  
Free Speed: 10,000 RPM  
Length: 259 MM  
Weight: 0.58 Kg

**10 MM Stroke**

**\$399**

SI4700B



**Multifunction Mini Saw & File**  
Stroke Length: 5 MM  
Free Speed: 10,500 RPM  
Length: 148 MM  
Weight: 0.52 Kg

**5 MM Stroke**

**\$485**

PN: SI4740



**Uses Files & Saw Blades!**

105 MM Files to suit SI4740  
• 5 MM shank

**Triangular PN: 506P-56T**  
**Round PN: 506P-56R**  
**Flat PN: 506P-56S**



**Quality Bi-metal Blades**  
• Sold in Pack of 5

**18 TPI PN: PT301A18**

**24 TPI PN: PT301A24**

**32 TPI PN: PT301A32**

**\$30 EA**



## Screwdrivers

**All screwdrivers feature forward & reverse.**

**1/4" Straight Screwdriver**

- Adjustable clutch
- Max Torque: 3.70 Ft/lbs
- Free Speed: 1,600 RPM
- Bolt Cap: 1/4"
- Length: 247 MM
- Weight: 1.12 Kg

**\$515**

PN: SI1161



**1/4" Screwdriver**

- Nose mounted clutch adjuster
- Free Speed: 700 RPM
- Max Torque: 14.8 Ft/lbs
- Length: 176 MM
- Weight: 0.85 Kg

**\$495**

PN: SI1170



**1/4" Screwdriver**

- Adjustable clutch
- Max Torque: 3.70 Ft/lbs
- Free Speed: 2,000 RPM
- Bolt Cap: 1/4"
- Length: 207 MM
- Weight: 1.18 Kg

**\$539**

PN: SI1166A



**1/4" Screwdriver**  
• Adjustable clutch

- Max Torque: 6.60 Ft/lbs
- Free Speed: 800 RPM
- Bolt Cap: 5/16"
- Length: 229 MM
- Weight: 1.35 Kg

**\$649**

PN: SI1166-8A



## Quick Change Sanding & Stripping Kit

**Ceramic Sanding Abrasives**

**\$539**

PN: SI2201KIT3

- 46 Piece kit includes:
- 2" Disc Sander (SI2201 tool only)
  - Free Speed: 17,000 RPM
  - Weight: 0.49 Kg
  - 1 x 50 MM quick-lock backing pad
  - 1 x 75 MM quick-lock backing pad
  - 5 x 50 MM 36, 60 & 80 Grit Discs (Total 15)
  - 5 x 75 MM 36 & 80 Grit Discs (Total 10)
  - 2 x 50 MM 40, 60, 80 & 120 Grit Flap Discs (Total 8)
  - 2 x 75 MM 40, 60 & 80 Grit Flap Discs (Total 6)
  - 2 x 50 MM Clean & Strip Discs
  - 2 x 75 MM Clean & Strip Discs



Quick Change Sanding & Abrasive Kit also available PN: SI2201KIT1 \$429  
For kit contents refer to: [www.gamer.com.au/SI2201KIT1](http://www.gamer.com.au/SI2201KIT1)

**SHINANO**  
INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



**2" Industrial Angle Grinder**

Free Speed: 15,000 RPM  
Output: 240 Watts  
Spindle: 1/4" UNF x 9.5 MM  
Length: 170 MM  
Weight: 0.64 Kg

**\$495**  
PN: SI-AG2-U2P

**5" Industrial Angle Grinder**

Free Speed: 12,000 RPM  
Output: 800 Watts  
Spindle: M14 x 22.2 MM  
Length: 285 MM  
Weight: 2.08 Kg

**\$759**  
PN: SI-AG5-E3L

**4" Industrial Angle Grinder**

Free Speed: 13,500 RPM  
Output: 600 Watts  
Spindle: M8 x 15.8 MM  
Length: 276 MM  
Weight: 1.89 Kg

**\$679**  
PN: SI-AG4-A2L

**7" Industrial Angle Grinder**

Free Speed: 7,600 RPM  
Output: 1000 Watts  
Spindle: 5/8" UNC x 22.2 MM  
Length: 285 MM  
Weight: 3.3 Kg

**\$889**  
PN: SI-AG7-E5L

**High Spec Collet**

The High Spec Collets grips entire length of the burr shank. This reduces run-out, which improves cutting efficiency and extends the service life of the burr.

NOT included with SI-SG3-CL.



**Silencer Hose**

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

**Mini Industrial Angle Die Grinder**

Free Speed: 20,000 RPM  
Output: 200 Watts  
Collet Size: 1/4"  
Length: 166 MM  
Weight: 0.57 Kg

**\$425**  
PN: SI-AG20E-6L



**Industrial Angle Die Grinder**

Free Speed: 15,000 RPM  
Output: 240 Watts  
Collet Size: 1/4"  
Length: 170 MM  
Weight: 0.64 Kg

• Spindle lock button for easy burr replacement

**\$495**  
PN: SI-AG2-C2P



**Mini Industrial Die Grinder**

Free Speed: 28,000 RPM  
Output: 180 Watts  
Collet Size: 1/4"  
Length: 150 MM  
Weight: 0.38 Kg

**\$349**  
PN: SI-SG20E-6L

**Extended Mini Industrial Die Grinder**

Free Speed: 28,000 RPM  
Output: 180 Watts  
Collet Size: 1/4"  
Length: 284 MM  
Weight: 0.68 Kg

**\$449**  
PN: SI-SG20E-6LL

**Straight Industrial Die Grinder**

• High powered tool for confined work areas  
• High Spec Collet NOT included.

Free Speed: 14,000 RPM  
Output: 520 Watts  
Collet Size: 1/4"  
Length: 346 MM  
Weight: 1.53 Kg

**\$689**  
PN: SI-SG3-CL



**Industrial 6" Dual Action Sander**

• Powerful 485 Watt motor with adjustable power setting  
• Handle exhaust  
Free Speed: 11,200 RPM  
Pad/Disc Size: 150 MM (6")  
Spindle Size: 5/16-24 UNF  
Orbit Dia: 6 MM

**\$499**  
SI-DS6-6L



**Industrial Edge Profilers**

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM  
Head Height: 113 MM  
Free Speed: 10,000 RPM  
Output: 600 Watts  
Profile Radius: 3 MM  
Min. Corner Radius: 17 MM  
Length: 250 MM

**\$1,495**  
PN: SI-4011L

Guide Plate: 150 MM  
Head Height: 142 MM  
Free Speed: 10,000 RPM  
Output: 900 Watts  
Profile Radius: 3 MM  
Min. Corner Radius: 17 MM  
Length: 250 MM

**\$1,495**  
PN: SI-4010L

**5" Industrial Wet Angle Grinder**

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM  
Output: 800 Watts  
Spindle: M14 x 22.2 MM  
Length: 285 MM  
Weight: 2.25 Kg

Water injection through guard



**7" Version Available**

**\$1,095**  
PN: SI-AG5-E3LWS

**Industrial Die Grinder**

Free Speed: 25,000 RPM  
Output: 650 Watts  
Collet Size: 1/4"  
Length: 187 MM  
Weight: 0.71 Kg

**\$389**  
PN: SI-SG60E-6L



**Extended Industrial Die Grinder**

Free Speed: 25,000 RPM  
Output: 650 Watts  
Collet Size: 1/4"  
Length: 322 MM  
Weight: 1.19 Kg

**\$499**

PN: SI-SG60E-6LL



**2.5" Industrial Straight Grinder**

- Accepts 65x13mm grinding wheels

Free Speed: 14,600 RPM  
Output: 520 Watts  
Spindle: 9.35 MM  
Length: 316 MM  
Weight: 1.53 Kg

**\$689**  
PN: SI-SG3-2L

**3" Industrial Straight Grinder**

- Accepts 75x13mm grinding wheels

Free Speed: 12,700 RPM  
Output: 520 Watts  
Spindle: 9.35 MM  
Length: 316 MM  
Weight: 1.7 Kg

**\$689**  
PN: SI-SG3-3L

