

Jet Lighter Torch Micro Flame

• Flame temperature: 1000°C

- Gas type: Butane
- Gas capacity: 4g

Part No: 302090



Butane Blow Torch Straight

- Flame temperature: 1000-1100°C



High Tensile

Bolt Cutters

Red Jaw

- For heavy duty use, cuts through chain links, high tensile bolts, rods and high tensile wire for pre-stressed concrete
- Made in Japan

- Made III Capati					
	Jaw	Length	Capacity mm		
Part No.	Type	mm	High Tensile	Hard Metal	PRICE
HITNBC0350H	Side Cut	350	5	5	\$84.00
HITNBC0450H	Side Cut	450	5.5	6	\$107.00
HITNBC0600H	Centre Cut	600	8	7	\$139.00
HITNBC0750H	Centre Cut	750	8	9	\$185.00
HITNBC0900H	Centre Cut	900	9	10	\$248.00
HITNBC1050H	Centre Cut	1050	10	11	\$368.00

Rotary Drum Pump Chemical

Suitable for most liquids such as thinners, mineral oils, acids, alkalis, alcohols, chemicals and AdBlue

- Capacity: 60-205L drums
- Flow rate: Up to 37LPM (10GPM) depending on viscosity

\$**7** E .95

Drum Pump Delivery Hose 2m

Compatible with 305501 Rotary Drum



NEW PRODUCT!

Part No: BT2400HD

MATSON

Digital Battery Tester with printer

- 6/12V batteries (inc.start-stop)
- 12/24V system testing
- 12V pack test up to 6 x 12V
- 24V pack test 2 x 12V in series 25CCA - 6000CCA





NEW PRODUCT!



KNPEX WireStripper

Multifunctional Wire Stripper – Metric Version

- Clever stripping: large capacity range, sharply ground stripping profiles and intuitive positioning
- Innovative cutting geometry: easier cutting, especially of flat cables
- Stripping Capacity: Solid 0.75 6mm² / Fine-stranded 0.5 / 4mm²
- Cutting Capacity: CU/Al Cable Ø 15mm/1/2"
- Made in Germany





Concreters' Nippers Value Pack

- Twist and cut wire in one operation
- 99 01 280: Concreters' Nippers 280mm
- 99 14 300: High leverage Concreters' Nippers 300mm
- Made in Germany















PRICE

\$149.00

\$154.00

Plastic

Comfort



Inspection Tools 301012 **Inspection Mirrors** Ideal for inspection in confined spaces Telescopic Range mm PRICE 301011 25 x 50 200 - 520 \$12.95 301012 50 x 88 215 - 490 \$14.95

Part No: 301044


Engine Cylinder Hone Triple leg 50-135mm 365mm

- Designed for honing and deglazing engine cylinder bores
- Suitable for use under bonnet or on engine stand
- Fitted with 3 x 100mm medium grit



Brake Cylinder Hone

- For deglazing cylinder bores on brake components
- Suitable for brake wheel cylinders, master cylinders and calipers
- Fitted with 3 x 100 medium grit hone stones





Cable Tie Cutter **Nylon Cable Ties**

- Automatic tensioning and cut-off of nylon cable ties to produce a neat, clean and professional finish
- Suits cable tie sizes: 2-5mm wide and 2mm thick



Banding Tool With Cutter

- For fastening of band clamps on CV boots
- Inbuilt cutting assembly enables tension to be kept while clamps are tightened and cut during installation
- Maximum band: 1mm thick and 10mm (3/8") wide

Magnetic Pick-Up Tools

.95

Pick-Up Tool Flexible Cord

Plastic Knurled Handle 510mm

- Narrow and long probe gives access to confined spaces
- · Flexible stainless steel probe bends and holds in all positions
- Magnet capacity: 500g



- Telescopic body for adjustable reach
- Strong magnetic power for firm retrieval and pick-up of
- Manufactured from durable stainless steel

Part No.	Telescopic Range	Magnet Size	Magnet Capacity	PRICE
301019	125 - 640mm	Ø 13mm	2.5kg	\$16.95
301298	170 - 760mm	Ø 7mm	700g	\$19.95
301299	170 - 760mm	Ø 13mm	3.6kg	\$22.95



1950 x 600mm

Non slip rubber mat ideal for lining tool chest drawers or for protection between top chest and roller cabinet



Oil Seal Pick Set 2 Piece 100mm


- Designed for easy removal of oil seals and O-rings
- Stainless steel shaft with plastic knurled grips



Feeler Gauges

- High quality steel for strength, durability and accuracy
- Designed for measurement of small gaps, ideal for use in engineering and automotive applications
- Blade length: 100mm

Part No.	Steel Blades	Size Range	PRICE
301159	10	0.04 - 0.63mm	\$6.95
301160	16	0.05 - 0.38mm & 0.002" - 0.015"	\$8.95





Gasket Scraper Set 3 Piece

- Removes old gaskets, silicone sealants, gasket residue, carbon, ingrained dirt, etc.
- Blade widths: 20, 25, 40mm
- Overall Length: 280mm



art No: 301558

Scraper Heavy Duty Strike-Thru Straight Blade 235mm

- For scraping baked on gaskets, seals, cured silicone etc
- Extra strong steel striking cap
- Made in Japan



Ideal for storing and holding small parts, nuts, bolts and screws neatly and securely

Magnet size: 2 x 80mm



Brass Drift Punch Set

3 Piece

- Solid brass to prevent damage of hard surface materials
- Featuring a hexagonal or knurled shaft for superior grip
- Non sparking and non marring
- Drift punch: 3/4" 200mm
- Drift punch: 3/4" 300mm
- Starter punch: 11/32" 250mm



While Stocks Last!

.95

Bricklayer Line Pins 150mm

- Suitable for use with hardened mortar
- Used with builder's lines for marking out positions or aligning







Number Punch Sets Long shank for safety and stability





Letter Punch Sets

- Long shank for safety and stability
- Contains upper case letters featuring A-Z and &
- For most metal surfaces, wood and plastic

Part No.	Punch Size	PRICE	
301629	8mm 5/16")	\$70.95	
301630	10mm (3/8")	\$119.95	
		•	

FAMOUS EXCELLENCE BY DESIGN



- and vacuum tubing up to 42mm
 - Not suitable for metal cutting
- Ideal for automotive, plumbing, industrial and hardware applications



• Supplied in a protective blow mould storage case





Dashboard Service Tool Kit Mercedes Benz

- Professional tool kit of specialty tools specific for dashboard and auxiliary service work
- Ideal for service and removal work of meters, gauges, radios, locks and accessories



- For removing seized or corroded battery terminals without damaging post and terminal
- Reach: 25mm
- Spread: 33mm

While Stocks Last!



Battery Side-Terminal Ratcher Wrench

- For use on 5/16" (8mm) battery terminal bolts
- Removes battery terminal bolts with ease
- PVC dipped handle
- Chrome plated for maximum corrosion resistance

Glow Plug Socket Set

Part No: 304044

Glow Plug



Socket Set 9 Piece · Universal joint allows the removal of glow plugs in small areas

- Includes two decarbonising drill bit and puller
- Suitable for 8, 9, 10, 12, 14, 16mm hex glow plugs



Flare Nut Wrench Set

3 Piece Metric

- Double ended flare nut wrench set • Ideal for automotive, hydraulic and
- refrigerant applications • Thick, drop forged vanadium steel
- provides strength and rigidity
- Size: 10, 12, 13, 14, 15, 17mm
- Overall Lengths: 155, 175, 200mm



-.95

- Circuit Tester Computer Safe LED 3-12V Suitable for testing injector pulse, automotive computer circuits and all primary automotive electrical circuits
- Ideal for use on circuits where sensitive testing is required
- High impedance protects computer
- Probe Length: 75mm



Circuit Tester

 Unique digital LCD display that provides an accurate voltage value of the circuit

Heavy duty flexible spring cord extends from 700-3000mm

Probe length: 90mm

While Stocks Last!

Part No: 302022

- reach automotive bulbs and fuses
- bulbs, plus Xenon, halogen and filament bulbs
- Jaw opening: 0–30mm





- Flexible shaft allows access to hard to reach clamps
- Ergonomic handle provides superio comfort and grip
- Includes 1/4" square drive socket attachments: 6mm, 7mm, and 8mm

	Part No.	Length
or	CND-1	150mm
m	CND-2	300mm

While Stocks Last!

Ignition Lock Release Specialty Tool BMW & MINI

- Tool specifically for steering column ignition lock release
- Suits: BMW: E31 E32 E34 E36 E38 E39 E46 E60 E61 E63 E64 E83 E85 Z3, MINI: R50 R52 R53

While Stocks Last!

Key Set T-Handle Hex 8 Piece

- Manufactured from heat treated chrome vanadium steel
- Supplied in protective zip wallet
- Hex sizes: 2, 2.5, 3, 3.5, 4, 4.5, 5, 6mm





FAMOUS EXCELLENCE BY DESIGN




- **Type Battery** Carrier
- Used to lift and install most top post and side terminal batteries
- Caters for batteries up to 175mm (7") wide





Battery Post & Terminal Cleaner



Stainless steel bristles





Spray Cleaning Gun Flexible Hose 320mm 1L Capacity

 Flexible head allows for deep cleaning in hard to reach areas





- including brake fluid, coolant engine oil, transmission oil and hydraulic oil
- Includes brake caliper bleeding port adaptor with 1 metre clear hose and 1.1m fluid suction hose
- Conical spout for non-spill discharge of waste fluid



16 sockets

302213

Grease Gun Holder

1/2" Sq. Dr



Suitable for most 400g and 450g grease guns with body diameters from 57–63.5 mm $\,$

Part No: 301598 .95 Socket Rail 1/4" Sq. Drive

- Suitable for holding up to 16 standard or deep sockets
- Anodized aluminium for rust resistance and durability
- Overall length: 410mm





Lever type with 150mm steel extension and 4 Jaw coupler

- Notched style plunger
- Thread: 1/8" BSPT



- Lip seal provides maximum suction
- Suitable for use with non-corrosive liquids
- Comes with 300mm (12") flexible vinyl hose



Fluid Change Syringe 1.5 Litre

- Suitable for engine oil, transmission fluid, differential, brake fluid and hydraulic oils etc.
- Includes 4 various suction tube sizes
- Durable polypropylene

Part No: 305237 **6**.95

Grease Injector Needle

18 Gauge

- Stainless steel needle lubricates in very tight spaces such as universal joints and sealed bearings
- Standard grease fitting with dust cover
- Needle length: 38mm



Alloy Wheel

- Bendable for hard to reach areas

Part No: 301073

Brass Bristles Cleaning Brush Set 2 Piece


- Sturdy, compact and simple tools for cleaning confined spaces
- Suitable for rust, scale, ingrained dirt removal
- Curved: 220mm
- Straight: 210mm

Truck & Trailer Wheel Pan 3 Litre

Ideal for use during truck and trailer wheel repair

- Used to catch oil from wheel hubs after removing cap
- Suitable for rims up to 350mm internal diameter
- Manufactured from polypropylene, non warping and durable

Oil Filter Remover 3 Leg Triangle Type



- Includes 1/2" to 3/8" square drive reducer adaptor
- Suitable for loosening oil filters only



- For emergency refuelling with the use of a jerry can
- Suitable for adding fuel additive into fuel tank with ease
- Holds open the internal valve of the fuel filter neck to avoid damage

Part No.	Outlet Diameter	Туре	Part No.	Outlet Diameter	Type
305403	21mm	Petrol	305404	24.5mm	Diesel

Oil Filter

Removal Pliers Large 260mm

- Used for removing seized and stubborn filters
- Slip jointed adjustable jaws with shark tooth security grip to prevent slippage
- Suits: 85-115mm filters



Fuel Filter & Sensor Wrench

Diesel 2 Piece

- Fuel filter wrench size: 85mm x 15 Flutes
- Sensor wrench size: 50mm x 8 Flutes



Diesel Ford 32mm 1/2" Sq. Dr

- For removing diesel fuel filters
- Suitable for Ford EcoBlue 2.0 TDCI engines
- Cutout prevents harm to fuel filer housing drain tap



Type: 45 Ncm (± 6%) 4 In.Lbs. torque limit

- 95

Radiator Fin Straightener

- Straightens fins on radiators. evaporators, condenser,oil cooler and intercoolers etc.
- Suitable for fins with 8, 9, 10, 12, 14, 15 fins per inch



Tyre Lever 300mm Heavy Duty

- · Easily removes and refits tyres on to rims
- Hardened and tempered drop forged chrome vanadium steel

Part No: 309251 Wheel Stud **Installer Kit** Easily install wheel studs Sizes: 7/16" x 20, 1/2" - 20 UNF, M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.5

Torque Bar & **Deep Socket** Set 8 Piece 1/2" Sq. Drive

• Accurately torque

- wheel nuts to correct specifications
- Thin wall with protective Polypropylene sleeve ensures wheel surface is damage free
- Socket sizes: 17, 19, 21, 22mm
- Torque bar rating: 65, 80, 100, 120ft. lbs (88, 108, 135, 162nm)



Automatic Transmission 138mm

Suitable for most vehicle transmissions and gearboxes

Prevents fluid spills or leaks during servicing and repairs while the tail shaft is exposed

Oil Can 500ml

- Lever type with rigid and flexible spout
- Spout size rigid: 150mm
- Spout size flexible: 175mm



While Stocks Last!



Tyre Valve Core Torque Tool 45 NCM

- Designed to adjust the tyre valve core to the correct specified torque as requiredin tyre pressure monitoring (TPMS) systems
- Moulded handle allows for a secure grip

While Stocks Last!



Deburr Tool Set

3 Piece Internal & External

- Ideal for chamfering sharp edges on pipes, tubes, rods and repair threads on fasteners, bolts, studs and threaded rods etc
- Range: Ø3 to 35mm



6 Piece Heavy Duty Impact

- Designed to reduce or increase socket drive
- For use on air tools and electric drivers
- Configuration: 1/4" to 3/8", 3/8" to 1/2", 3/8"
- to 1/4", 3/4" to 1/2", 1/2" to 3/8", 1/2" to 3/4"



Pry Bar Set Rolled Head

4 Piece

- Rolled head enables high leverage operation and tapered podger end ideal for alignment
- Suitable for automotive, industrial and hardware applications
- Chrome vanadium steel for strength and durability
- Set contains 150mm, 300mm, 400mm and 500mm bars

Circlip Plier Tool Roll

- 4 Piece Straight Tip
- Includes external and internal straight circlip pliers
- Supplied in heavy duty tool roll
- External 130mm (5") External 230mm (9")
- Internal 130mm (5")
- Internal 230mm (9")





Breaker Bar Ratchet Head 3/4" Sq. Dr

- Adjustable length high torque breaker bar provides greater flexibility and versatility
- Adjustable length: 610-915mm

Ratchet Head Breaker Bar 610mm

- · Extra-long shaft for greater leverage and force
- 180° flexible ratchet head
- 1/2" Sq. Drive

Part No: 301701

Flaring Tool

Double Lap For copper, brass, mild steel and aluminium

tubing Suitable for creating single and double lap

flares in sizes 4.75, 5, 6, 8, and 10mm Includes a mini tube cutter capable of cutting plastic, brass, copper, aluminium and mild steel tubing





Suits 8-24mm washers

Brake Spring Compressor

- For removing and installing brake shoe retaining springs on vehicles with drum brakes
- Notched design for washers with ear tabs
- Suitable for most retaining rings



Air Blow Gun Nozzle 60mm

- Adjustable air flow control valve Handy and reliable units for air cleaning
- work areas and equipment etc.
- Provides maximum air output with





For the removal of door panels, timber trim, plastic from dashboards, emblems etc



FAMOUS EXCELLENCE BY DESIGN





Dual Drive Podgers 32 tooth ratchet

- Designed and manufactured specifically for heavy duty and industrial use where extra leverage, size and strength is required
- Featuring a tapered end design for easy bolt hole alignment and either a ring, ratchet or dual drive opposing end
- $\bullet\;$ Designed for scaffolding and steel work applications

Part No.	Square Drive	Depth	Length	PRICE
321020	1/4" x 3/8"	34mm	280mm	\$75.95
321021	3/8" x 1/2"	42mm	315mm	\$85.95
321023	3/4" x 1"	65mm	450mm	\$147.95

Hammers

Panel Beating Hammer Straight Pein & Finishing Hammer

- Hickory timber handles (octagonal shape) and polished forged induction hardened heads
- Face 1: Round 40mm
- Face 2: Straight pein
- Length: 330mm

Aluminium Hammer 140z

- Hickory timber handles (octagonal shape) and polished forged induction hardened heads
- For fine bodywork adjustment or striking finely finished surfaces
- Head length: 150mm
- Head size: Ø30mm
- Overall length: 310mm

Part No: 301082

Dead Blow Hammer

54oz (1.5kg) 375mm

- Featuring hollowed cylindrical heads containing steel pellets offering a dead blow and significant impact with the rise and fall of the hammer
- Non sparking and marring
- Shockless and non-bound
- Face diameter: 65mm
- Face length: 130mm

Part No: 321055

Curved Claw Hammer

Centre Cut 200mm

The unique ergonomically design handle prevents the hammer from slipping out of the users hand while striking



Flaring Tool Kit Master

- Create single, double lap and bubble flares on copper, brass, mild steel and aluminium tubing in metric and imperial sizes
- Flaring adaptors: 4.75, 6, 8, 10mm & 3/16", 1/4", 5/16", 3/8", 1/2"

Disc Brake Piston Cube Rear

Fits five different cavity configurations and popular vehicles

Operated with 3/8" square drive ratchet

Panel/Slab **Carrying Set Heavy Duty**

2 Piece



Pad size: 80 x 200mm





While Stocks Last!



- Polished wooden handle
- Spring retaining clips hold abrasive paper firmly
- Surface size: 70 x 200mm

While Stocks Last! PDR Line Board Flex Dia: 800mm • Visual aid for professional paintless dent repairs

- Portable and folds out in seconds
- Folds from 800mm to 300mm



- Measure brake disc thickness or tyre tread depth
- Floating jaw assembly enables easy removal of caliper from disc while retaining the gauge reading
- Robust aluminium construction



Brake Caliper **Gearless Press Kit**

- Ideal for 1, 2, 4, 6 and 8 piston brake calipers on passenger, all-wheel-drive and light commercial vehicles
- Suitable for sliding or fixed brake calipers
- Includes three interchangeable press plates
- Spread: 43-65mm
- Plate size: 90 x 60mm, 148 x 60mm and 180 x 60mm



Inner Tie Rod Tool Multi-Purpose




- Replaces inner tie rods without the need to remove the steering rack
- Ideal tool for all steering service and repair work
- Unique design prevents damage to steering components
- Operating capacity: 33-42mm

Part No: 315160

Adjustable C-Hook Wrench

Set 35-120mm



Adjustable head enables coverage of a wider size range and interchangable heads for both hook and pin style

Compact Hand Cable Cutter 230mm (9")

- Curved blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Suitable for use on copper and aluminium cables up to 70 mm²

Part No: 301996

Long Nose Pliers Straight 210mm

- For cutting, gripping and manipulating all types of components and wires
- Suitable for most soft and hard wire up to 3mm in diameter
- Jaw opening: 0-85mm



Key Set Ball Point HEX Imperial 7 Piece

- Double ended tool with one standard hex and one ball hex end
- Sizes: 3/32".1/8".5/32".3/16".1/4".5/16".3/8"



Crimper, Cutter & Stripper

- Reliable crimper, cutter and stripper for versatile use
- Suitable for insulated and non insulated terminals



While Stocks Last!

16 in 1 Hex Socket Wrench

- Dual head ratcheting wrench features 16 sizes in one tool
- Cost, time and space saving tool with hex sized sockets
- SAE Hex: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Hex: 10, 11, 13, 14, 16, 17, 19, 21 (mm)

Ratcheting **Crimping Pliers**

crimp work

High Leverage 280mm Heavy duty ratcheting crimping pliers for fast, efficient and easy

Crimp range: 1-2mm², 6mm², 10mm² (8 B&S), 16mm² (6 B&S)

Cutting, Crimping & Swaging Tool 3 Hole 350mm

 Features swaging jaws, cutter and crimper head design to enable complete crimp and cut operation



Concrete Nippers 200mm


- · Precision cutting edges for cutting and twisting steel fixing wire
- Suitable for most soft and hard wire up to 3mm in diameter
- Jaw opening: 0-14mm
- Jaw width: 31mm





Nut Cracker Bar 1/2" Sq. Drive 410mm

- Designed for removing seized and stubborn nuts and bolts
- Heavy duty Strike-thru head
- · Ergonomic rubber handle provides comfort and firm grip



• Chrome Molybdenum for superior strength and durability

Part No.	Key No.	Chuck mm	Pilot mm	PRICE
T404034	No. 34	10/13	6.0	\$6.95
T404038	No. 38	13	6.3	\$7.95

Face Spanner Wrench Set Adjustable 9 Piece

- For loosening and tightening nuts with holes on surface
- Knurled central divider type nut allows with adjustment and locks it into place
- Capacity 20-100mm
- Pin size: 2.5, 3, 4, 5, 6, 7, 8 and 9mm

File Sets

Auto File Set 4 Piece


- Specially created file set to cater for automotive use
- square and bastard cut flat





File Sets

Part No.	Contents Cut Type		PRICE
TFR2502	1 round, half round, flat & square file	Second Cut	\$56.95
TFR2501	1 round, half round, flat & square file	Bastard Cut	\$54.95
TFR2503	1 round, half round, flat & square file	Smooth Cut	\$55.95



Rasps

	Part No.	Description	Cut Type	Length	PRICE
	151502CD	Round	Second Cut	250mm	\$24.95
	131502CD	Flat	Second Cut	250mm	\$28.95
l	121502CD	Cabinet	Second Cut	300mm	\$36.95

Ratchet Podgers Metric



- Tapered end design for easy bolt hole alignment and dual/ quad ratchet drive opposing end
- Machined to ensure accuracy which maximises strength and safety during use

Ш	Part No.	Style	Size	PRICE
	301243	Scaffolding	21 x 24	\$63.95
	321042	Scaffolding	12 x 17 13 x 19	\$68.95
	301230	Standard	19 x 24	\$71.95
	301236	Standard	27 x 32	\$103.95
	301235	Standard	24 x 27	\$96.95
	301239	Standard	36 x 41	\$109.95
	301237	Standard	30 x 32	\$104.95
	301228	Standard	18 x 24	\$59.95
	301234	Standard	24 x 30	\$92.95

FAMOUS EXCELLENCE BY DESIGN

While Stocks Last!

Slogging Wrench 2 1/8" 270mm

- For heavy duty/industrial use where extra slogging force is required to loosen or tighten stubborn nuts and fasteners
- Surface size: 70 x 200mm
- Conforms to ISO 9001:2000 quality standards

While Stocks Last!

Cranked Slogging Wrench 1 1/4" 305mm

- Suitable for various applications such as ship maintenance, mining, piping and industrial applications where extra force is required to tighten or loosen large nuts, bolts and other
- One end features a socket or open ended wrench to fit the fastener and the other is enlarged to receive striking from a hammer etc.





- High grade stainless steel
- Blade Length: 100mm



Bookmakers Knife 210mm

- Ideal for cutting leather
- Suitable for general purpose and construction use
- Precision cut stainless steel blade
- Blade length: 110mm
- Blade thickness: 0.40mm





Aluminium Cutting Rule Metric 1200mm

- Handle provides ease of use and maximum safety when cutting
- Lightweight aluminium construction
- Accuracy: 0.7mm per meter



Crack Measure Gauge 0.1 - 1.4mm

- Use to check the width of cracks in concrete walls and foundations
- Built in 80mm rule
- Hardened Japanese stainless steel
- Made in Japan







Stainless Steel Rules

- Stainless steel double sided with flush and round end
- Made in Japan

Part No.	Length mm	Style	PRICE
30012	300	Metric front and imperial back	\$17.95
300M	300	Single side metric	\$15.95
300SP	300	Metric numerical marking Front: left to right back Back: zero centre	\$17.95

- · Stainless steel with both flush end
- Made in Japan

Part No.	Length mm	Style	PRICE
ST150ME6	150/6"	Imperial front and metric back	\$16.95
ST300ME12	300/12"	Imperial front and metric back	\$28.95
300MSE	300	Double sided metric	\$28.95

Spring Dividers

- Spring calipers and dividers designed for reliable, quick and accurate measurements during layout procedures and jobs
- Made in Japan

Part No.	Туре	Length	Jaw	PRICE
50100	Solid Nut	100mm	100mm	\$30.95
50200	Solid Nut	200mm	200mm	\$35.95
50300	Solid Nut	300mm	300mm	\$50.95

Inside Calipers

- For reliable, quick and accurate measurements during layout procedures and jobs
- Manufactured in Japan to strict standards to ensure accuracy and precision
- Legs pivot on a roller and are tensioned via bow spring
- Stainless steel and feature a spring joint via a solid screw nut
- Made in Japan

Part No.	Туре	Length	Jaw	PRICE)
51100	Solid Nut	100mm	100mm	\$30.95
51200	Solid Nut	200mm	200mm	\$35.95
51300	Solid Nut	300mm	300mm	\$50.95



Magnetic Torpedo Level 250mm

- Features horizontal and vertical shockproof acrylic vials
- · Precision milled flat surface with an accuracy of <0.5mm/m (0.0005 in/in)



Magnetic Box Levels

- Reinforced aluminium frame
- Epoxy locked shockproof vials
- Precision milled surfaces for accuracy (up to 1200mm)
- Enlarged easy read horizontal vial (33% bigger)
- Unique side-view vial provides accurate plumb reading
- Powerful rare earth magnets
- High accuracy of 0.5mm/m







- Rubber hand strap and wind back handle for easy tape retraction
- Graduated in 2mm increments up to 30 metres
- Waterproof, dirt resistant, durable practical option





Firm Joint Calipers

- Precision measuring tool for obtaining quick and accurate $measurements\ during\ layout\ procedures\ and\ jobs$
- Firm joint allows for quick and efficient measuring
- Firm joint is stable and stiff to hold measurements
- Manufactured from hardened Japanese carbon steel
- Made in Japan

Part No.	Type	Range	Length	Width	PRICE
321071	Inside	0-200mm	210mm	12mm	\$47.95
321073	Outside	0-200mm	210mm	120mm	\$47.95



Part No.	Graduation	PRICE	
322205	0.01 x 0-25mm	\$83.95	W
322206	0.01 x 25-50mm	\$104.95	







5 Piece

• Sizes: ½", ¾", 1", 1¼", 1½" and 2"



Bulls-Eye Level Mini

- Multi-purpose general level provides measurement in all directions
- Pre-cast holes for easy attachment to a range of various objects
- Diameter: 42mm
- Sensitivity: 30 arc/min



Level Line 20m

- Includes two line levels with pocket clips and 20 metre line
- Lightweight levels eliminates sag
- V-groove for pipe work



Measuring Tapes

Tape Measure 10m Metric



- Strong and robust design with ABS and TPE shock-proof casing
- Automatic blade lock function provides easy set-up allowing one person operation
- Ergonomic design with belt clip and hanging tether



with handy keychain ring

Part No: 321905

20 40 50 48 78 88 W



Tape Measure

Steel Wide Blade Metric 5m

- Stainless steel shell with durable rubber casing is designed for heavy duty use
 - Wide nylon coated blade provides accurate readings
- Features shock absorbing blade return bumper and belt clip



Part No: 321068

Radius Scale 0.5-7mm

- Pocket size precision tool
- Centre cut out to measure diameter, side cuts to measure radius
- Manufactured from hardened Japanese stainless steel
- Diameter Range: 0.5-6mm
- Made in Japan



Ratcheting Gear Puller

Twin & Triple

- Easily remove gears, sprockets and pulleys
- Reach: 100mm & 170mm
- Spread: 150-220mm
- Capacity: 5 tonne



Twin Pull Puller Kit Small

- or remove the running shaft



Armature Bearing Puller

- For removing gears and bearings in
- chrome vanadium steel



Part No.	Spread mm	Reach mm	Capacity	PRICE
226100	19-35	50	1 Tonne	\$69.95
226101	24-55	100	1.3 Tonne	\$79.95
226102	35-80	160	1.8 Tonne	\$194.95

Scissors

Forged steel nickel plated with black handles

Part No.	Blade Length mm	Overall Length mm	PRICE	8
10610BU	100	250	\$35.95	-
10612BU	150	300	\$55.95	AY
1068BU	90	200	\$14.95	\cup

Part No: 321116 .95

No Citizen

Engineering Square High Grade Non-Graduated 75mm

- For automotive, industrial, metalwork, woodwork and engineering applications
- Made in Japan

Mechanical Pullers .95 Triple Leg Puller Mechanical For easy removal of bearings, pulley, gears and sprockets For internal and external applications Spread: 65-150mm Reach: 120mm

Twin Leg Pullers Mechanical

- For external and internal applications
- For pulling gears, bearings and sprockets etc in automotive and industrial applications





Sliding Beam Mechanical Pullers

- Twin leg sliding beam pullers suitable for external and internal applications
- Suitable from removing gears,

pulleys	, bearings	and spro	ckets e
Part No.	Spread	Range	PRI

Part No.	Spread mm	Range mm	PRICE	111
232080	80	90	\$75.95	200
232160	160	140	\$122.95	A a

Twin & Triple Leg **Mechanical Puller Sets**

- Interchangeable twin and triple heads allow for an infinite number of internal and external pulling applications
- For easy removal of bearings, pulleys, gears and sprockets
- EVA foam trav


Part No.	Spread mm	Reach mm	Capacity	PRICE
224040	100	70	2 Tonne	\$89.95
224060	150	120	5 Tonne	\$146.95



Bearing Separators

- For removing gears and bearings where access is available behind the item
- Two knife edges ensure a secure pulling surface

Part No.	Capacity mm	PRICE
245000	35-105	\$114.95
245105	75–105	\$89.95
245150	105-150	\$213.95



Part No: 245300

Slide Hammer Puller Set Front & Rear Hub Mechanical

De

- For removal of front and rear hubs, bearing oil seal bushes and flange type axles
- Includes slide hammer with multiple attachments including 2 and 3 jaw internal and external puller, front and rear hub pullers and various accessories







Hub Separator Set Universal

- Designed for removing hubs on popular front wheel drive vehicles Durable Acme threaded forcing and
- adjusting screws ensure long product life



3 Jaw Mechanical

- spigot bearings
- Suitable for removing spigot bearings alternator and pump bearings etc.
- Internal diameter range: 13–45mm



Harmonic Balancer Master Puller Set

46 Piece

Designed for the removal of harmonic balancers, timing gears and pulleys where access to 2 or 3 tapped holes is available

NOTE: Not recommended to be used with impact wrench







MADE IN GERMANY



KNIPEX WireStripper

Multifunction Electrician Pliers

American Style 200mm

- Fast, burr free cutting of threaded rods and screws
- Precise positioning of the wire thanks to location ridges
- Innovative cutting edge geometry


Par	t No.	Handles	AWG	Cutting Capacities Copper Cable Multiple Stranded	PRICE
13	718	Plastic	18-10	Ø 15mm / ½"	\$213.00
13	728	Comfort	18-10	Ø 15mm / ½"	\$222.00



Long Nose Assembly Pliers

- Long assembly pliers with wave profile
- For gripping, adjustment and assembly work in hard to reach areas thanks to slim, long design
- Deep parts can be easily reached using the slim, half-round tips


Part No.	Handles	Length mm	Tip	PRICE
28 71 280	Plastic	280	Straight	\$84.00
28 81 280	Plastic	280	Bent	\$74.00



.00

Mini Pliers Set XS in Belt Pouch

- Compact. Practical. Robust
- Pliers Wrench XS 100mm: parallel jaw opening, grips up to 21mm width across flats




Belt pouch made from durable polyester fabric, with hook-and loop fastener and belt loop



Insulated Knives ♠ 1000 V ♠ ♠

- Ergonomic handle shape with comfortable slip guard
- Thumb recess and finger hook

Part No.	Length mm	Style	Blade	PRICE
98 53 13	180	Dismantling	Hook Sickle	\$41.95
98 52	180	Dismantling	Straight	\$43.95



High Leverage Combination Pliers 02 02 200

- 35% less effort required than with conventional combination pliers
- Gripping zones for flat and round material, for versatile use
- Effortless cutting, powerful gripping, bending and pulling

Part No.	Handles	Length	Capacity mm		PRICE
Turciio.	Hamaics	mm	Hard	Piano	Tiller
02 01 200	Plastic	200	2.8	2.2	\$61.00
02 01 225	Plastic	225	3.0	2.5	\$69.95
02 02 200	Comfort	200	2.8	2.2	\$71.00
02 02 225	Comfort	225	3.0	2.5	\$84.00
02 06 200	1000V VDE	200	2.8	2.2	\$96.95





Pliers Wrench XL 400mm

- Replaces a whole set of spanners both metric and imperial
- Smooth jaws for damage free installation of plated fittings
- Capacity: 85mm
- Adjustment Positions: 25

Diagonal 70 01 180 **Cutters** The indispensable diagonal cutter for all-round use

High-quality material and precise workmanship

- Precision cutting edges for soft and hard wire
- Narrow head style for use in confined areas

l		Length		Cutt	ting Capacit	y mm	DDICE	
l	Part No.	mm	Handles	Soft Med Hard		Hard	PRICE	
	70 01 180	180	Plastic	4.0	3.0	2.5	\$58.95	
l	70 02 180	180	Comfort	4.0	3.0	2.5	\$71.00	
l	70 06 180	180	1000V	4.0	3.0	2.5	\$94.00	

KNIPEX Assembly Set

.00

- Three important pairs of pliers for installation work
- 03 02 180 Combination Pliers 180mm
- 70 02 160 Diagonal Cutters 26 16 200 Long Nose Pliers
- 200mm • With comfort grip handles
- Supplied in deep-drawn tray
- Forged from high quality tool steel, oil hardened





KNIPEX Cobra® QuickSet Water Pump Pliers 250mm

- Fast adjustment on the workpiece by sliding the handles
- Self gripping jaw geometry for securely gripping flat round and $\,$
- Time-tested push button adjustment directly on the workpiece

	Part No.	Handles	O] mm	mm	Adjustment Positions	PRICE
l	87 21 250	Plastic	50	46	25	\$86.00
	87 22 250	Comfort	50	46	25	\$95.00



Plastic Tweezers

- Ideal for gripping, holding and moving small objects, such as fine tissues, small items or solid samples
- Grooved handles ensure optimum safe handling and precision

KNIPEX Cobolt® XL 71 31 250 Compact **Bolt Cutters** 250mm

- Cuts bolts, nails, rivets, etc. up to 5.6 mm dia.
- 60% less effort required compared to conventional high-leverage diagonal cutters
- *71 31 250 with recess in blade to cut thicker wires
- Gripping surfaces below joint to pull wires

	B 411		Capacity mn		m	PRICE
	Part No.	Handles	Medium	Hard	Piano	PRICE
	71 01 250	Plastic	5.6	4.0	3.8	\$141.95
l	71 31 250*	Plastic	6.0	4.3	4.2	\$147.95




Dismantling Tool

- Stripping all common round cables Ø8.0-28.0mm
- Self-tightening holding lever
- Adjusting screw for cutting depth adjustment
- Turnable blade for circular and longitudinal cutting



KNIPEX NexStrip 190mm

- 3-in-1 combination, cutting, stripping and crimping
- Precise stripping: automatically adapts to the cable diameter
- Perfect crimp: fast and even square crimp for wire ferrules





10



Chisel & Punch Foam Tray Set

8 Piece

 Set of eight chisels and punches in EVA foam tray

Part No.	Size mm
Flat Cold Chisel	200 x 24
Flat Cold Chisel	300 x 26
Centre Punch	150 x 6
Pin Punch	150 x 3
Pin Punch	150 x 4
Pin Punch	150 x 6
Pin Punch	150 x 8
Pin Punch	150 x 10





Chisel & Punch Foam Tray Set 7 Piece

 Set of popular chisels, punches, mini wrecking bar with chisel end and automatic centre punch

Contents

Part No.	Size mm
Flat Cold Chisel	250 x 25
Parallel Pin Punch	150 x 6
Parallel Pin Punch	150 x 8
Parallel Pin Punch	150 x 10
Seal Scraper	260 x 25
Automatic Centre Punch	130
Mini Wrecking Bar	300







Seal Scraper 260mm

- Suitable removing old seals and gaskets from metal surfaces
- Slim, ergonomic shape with wooden handle
- Made in Germany

			2077,190
Mason's Chisels Octagonal	Part No.	Length mm	PRICE
For making breakthroughs into walls or cutting into	350300C	300	\$32.00
walls for pipes or cable	350350C	350	\$37.00





Flat Cold Chisel Set 3 Piece

- Flat cold chisels in durable fabric wallet Forged from highest quality
- hardened steel Contains sizes: 150, 200 and 250mm chisels

Part No: RTP8

Taper & Parallel **Pin Punch Set**

8 Piece

- One taper and seven parallel pin punches in fabric wallet
- Taper punch 3mm and parallel pin punches 2,3,4,5,6,8 & 10mm

RENNSTEIG

Part No: REN01 **\$0 7**.95



8 Piece

Set of seven pin punches and one centre punch in durable fabric wallet



Parallel Pin Punch Set XXL 5 Piece

hand grips

and durability

Contents: 8, 10, 12, 14 and 16mm XXL pin punches with

Heat treated for the perfect balance of hardness, strength





• Includes a wide range of colours and sizes						
Colour	Length mm	Pack Size	Qty	Colour	Ler	

Colour	Length mm	Pack Size	Qty	Colour	Length	Pack Size	Qty
Red	200	100	2	Blue	300	100	2
Red	300	100	2	Orange	200	100	2
Yellow	200	100	2	Orange	300	100	2
Yellow	300	100	2	Purple	200	100	2
Green	200	100	2	Purple	300	100	2
Green	300	100	2	Black	300	100	2
Blue	200	100	2	Natural	300	100	2











Black Cable Tie Multi Pack 1000

- Black PA6, 6 nylon (polymide)
- UL94V-2 flame rating
- 3mm x 100mm Qty 200
- 4mm x 150mm Qty 200
- 5mm x 200mm Qty 400 5mm x 300mm - Qty 200
- For securing wires, cables and pipe








Part No: BT900

Digital Battery & System Analyser with printer



- Suits battery types include regular flooded, AGM flat plate, AGM spiral, GEL,
- Enhance Flooded (EFB) and AGM (Stop-Start)
- Tests to global standards SAE (CCA), JIS, EN, DIN & IEC





ThunderboltJump Pack 8000 Peak Amps 1.7m 50mm² high conductivity

Antizap booster cables are guaranteed to protect against voltage spikes Durable high grade

Jumper Leads

insulation material resists acid, oil and chemicals • Crimped, fully insulated

400 Amp clamps High Speed surge protection 1.

Part No.	Length m	Cable Size	Capacity	PRICE
MA254AZ	4	3B & S/25mm cable	600	\$149.95
MA654AZ	4	00B & S/65mm cable	1000	\$299.95

50AMP Connectors



- Safely connect without errors, connectors only compatible with the same colour
- Engineered to handle 50 amp continuous current
- Durable and rugged polycarbonate housing
- Ideal for dual battery and solar systems, fridges and compressors

Part No.	Colour	Rating & Size	PRICE
MA2350BK	Black	50AMP / 6 AWG	\$6.95
MA2350BL	Blue	50AMP / 6 AWG	\$6.95
MA2350GR	Green	50AMP / 6 AWG	\$6.95
MA2350R	Red	50AMP / 6 AWG	\$6.95
MA2350Y	Yellow	50AMP / 6 AWG	\$6.95

Battery Power Box

- On/Off switch
- 2 x 50 Amp connectors
- Pos & Neg 10mm high current terminals
- Digital volt-meter
- Cig socket output (Back-lit blue LED)
- 2 x 5V, 2.4A USB ports (Back-lit blue LED)

leads(inc.clamps)

Industrial grade clamps with

brass connection points

12V DC power outlet with

12/24V digital voltmeter-

indicates the voltage of the

Matson's patented Antizap

in the 'OFF' position

voltage spike protection-ever

battery to be jump started OFF

overload protection

Part No: MA8000







Voltage Display







Selectable Amp and Voltages

Jump Starters

Electronic touch button control

GEL, Flooded(SLA, Deep Cycle, AGM), Calcium

6/12/24 **Volt Charger**



Jump Starter 12V 550A



Power Inverters MAI301P

MAC1007

- Converts 12VDC power from a battery into clean 240VAC power to run 240VAC appliances
- Pure Sine Wave output produces stable power the same as 240VAC mains connection to power sensitive electronic devices without interference to audio, displays or sensitive electronics

Part No.	Output Power	Surge Power	PRICE
MAI301P	300W (240VAC) & 2.1A (5VDC)	600W	\$169.95
MAI601P	600W (240VAC) & 2.1A (5VDC)	1200W	\$269.95
MAI1001P	1000W (240VAC) & 2.1A (5VDC) x 2	2000W	\$399.95

.00 Lithium Jump



Sensing

Peak Current 1200A (12V)

35000mAh Capacity

• Back-up power for portable devices • Powerful 3W/250 Lumen torch function

MAC1014 50A Yellow connector to MC4 solar connector 12V, 50A

Full safety protections



PRICE

\$28.95

\$25.95

\$26.95

\$26.95

\$26.95

\$24.95

\$24.95

12V, 50A

12V, 50A

16 AWG

16 AWG

12V, 50A

Accessory Cables Part No. **PRICE** 50A connector to 8mm eyelets **MAC1008** MAC1001 50A connector to 2 x 50A connectors 12V. 50A \$33.95 (50A maxi-fused Supplied with single fuse) **MAC1002** 50A connector to 2 x 50A connectors 12V, 50A \$30.95 **MAC1009** 50A connector to Waeco plug (2 pin) MAC1003 50A connector to 50A clamps 12V. 50A \$22.95 **MAC1010** 50A connector to Engel plug (3 Pin) **MAC1004** \$20.95 **MAC1011** 2 Pin Waeco Plug to Cig Plug 50A connector to 8mm eyelets 12V, 50A **MAC1005** 50A connector to cigarette plug (male) 12V, 10A \$15.95 MAC1012 3 Pin Engel Plug to Cig Plug MAC1006 50A connector to cigarette socket (female) 12V, 10A \$14.95 MAC1013 50A Grey connector to MC4 solar connector MAC1006

50A connector to PV plug & Socket

12V, 50A

\$24.95

Each tool can be used for metric and inch plus damaged nuts and bolts!



Spanner Set 14 Piece

• Size range: 8-23mm (5/16"- 29/32")





Standard Impact Socket Set 15 Piece

- 1/2" drive
- Size range: 11-25mm (7/16"- 1")



METRINCH





Belt Strap Wrenches Nylon and Rubber

- Rubber lined nylon strap for use on sensitive surfaces like stainless steel, coated, coloured and chrome pipes
- Must have tool for all plumbing work
- · One piece forged construction I-Beam handle and head

Part No.	Handle Length mm	Belt Length mm	Belt Width mm	Capacity mm	PRICE
HITBTW3G	300	400	30	15-75	\$83.50
HITBTW6G	300	700	30	15-165	\$109.50





Swaging/Crimping Tools 600mm

- Designed for swaging / crimping copper or aluminium swages
- Produces a tight, clean compression of copper and aluminium

Part No.	Description	Crimping Capacity mm	PRICE
HITCT600/5	Swaging/Crimping	1.5, 2.5, 3, 4 and 5mm	\$188.00
HITCT600/5C	Swaging/Crimping & Wire Rope Cutter	1.5, 2.5, 3, 4 and 5mm	\$226.95



Ratchet Pipe Cutters

- Easy cutting of PVC and other
- Ratchet shear permits smooth and easy operation
- Lightweight and easy to use



Length mm	Cutting Capacity mm	Weight kg
200	42	0.35

PROFESSIONAL TOOLS **MADE IN JAPAN**



Specially designed for cutting extra hard steel concrete mesh

- Comfortable rubber handles ensure a firm and safe grip
- Easy access into restricted spaces

Length	Cutting Capacity		
mm	High Tensile 162kg/mm	Soft Metal 49.6kg/mm²	
800	8	10	

Pocket Cutters



- Handy lightweight cutters for general purpose use
- Heat treated and tempered drop forged alloy steel blades
- Comfortable grip with spring action permitting one hand operation
- Compact design allows for easy access into restricted spaces
- Lockable handles for safe storage

Part No.	Doub No. Louist house Cutton Chule Loui Tune	Capacity mm				
rart No.	Length mm	Cutter Style Jaw	Jaw Type	Hard	Mild	Piano
HITPC200	200	Hand	Side Cut	2.5	4	2.5
HITPE200	200	End	Centre Cut	2	3.5	-
HITPH200	200	Wire	Centre Cut	3	4	2.5

Sykes-Pickavant.



- Tests brake fluid types Dot 3, Dot 4 and Dot 5.1. Compares the boiling point of brake fluid taken from the vehicle against expected values selected from the internal menu
- 12V operation can be used from the vehicle's own supply
- Suitable for DOT 3, 4, and 5.1 with boiling points up to 320°
- LCD screen displays battery voltage, brake fluid boiling point, pass or fail indicator



Starter Kit 7 piece

General purpose starter kit of high quality body shop tools



- tests coolant, battery acid,
- AdBlue and screen wash using an optical prism test technique
- · Features internal light for use in poor light conditions
- Freezing point shown in °C

WHILE STOCKS LAST!





- presence of combustion gases in the cooling system
- Suitable for use with both petrol and diesel engines
- With both standard and sensitive reaction test fluid (250ml)

Part No: 027008 270 Series **Flaring Tool** Kit Master Kit • This popular flaring tool quickly and accurately lap flares to SAE and DIN standards on automotive brake and

- Features a unique Dial-a-Size turret design and lever cam operation for quick flaring, see information over page
- Screw clamp for accurate die alignment and automatic punch extraction from flare provide the easiest of operation

Ball Joint Separators

- Effective and simple ball joint separation and removal
- Drop forged steel design enables hammer strike operation
- Suitable for passenger and light commercial applications

Part No.	Throat Width mm	Throat Depth mm	Length mm	PRICE
660490	19	69	195	\$39.95
080600	18	88	420	\$109.95



- Screw Type Twin Pack 24mm hex nut drive
- With Tri Hook configuration for the safe and efficient compression of coil springs
- Features locking screw on threaded jaw to prevent slippage when under considerable load
- Enables fast tightening and releasing via Acme threaded screws

Twin & Triple Leg Puller Kits

- For quick and safe removal of gears, races, bearings, pulleys and sprockets
- Makes four different puller combinations
- Leg style: double ended reversible
- Made in England

Part No.	Spread mm	Reach mm	PRICE
082705	0-150	80	\$219.95
082805	0-200	140	\$399.95





Thread File Set

- 4 Piece For the restoration of damaged or
- For both left and right hand thread
- BSW/BSF, SAE/UNF, Metric and BSP
- Made in England





Part No: 080900BP

CV Joint Puller

Bonus Pack

- Fast and efficient operation allowing use of impact wrench
- Avoids the need to remove the entire
- No need to use a hammer reduces risk of damage to the drive axle
- Special tool by VW group Audi, Sea Skoda, VW Ref: T20181





Part No: 032800

Tyre Tread Depth Gauge

0-26mm 1mm increments

- Pocket-sized tread depth gauge with convenient pocket clip
- Metal construction featuring clear, 1mm incremental gauge including 1.6mm depth measurement for MOT regulations
- MOT inspection approved



Hydraulic Internal Extractor, Puller & Separator Kit

- Makes 10 different twin/triple leg pullers, plus bearing separator kit and internal extractor kit
- Spread: 20-200mm, Reach: 250mm
- Made in England

Bearing Separators

Individual separators for removing and refitting bearings, etc

Can be used with any of the Sykes-Pickavant design of pullers where standard legs cannot gain

Part No.	Spread mm	PRICE
095 000	10 - 55	\$150.95
095 100	20 - 105	\$199.95
095 200	35 - 140	\$249.95

Piston Ring Compressors

- High quality, ratchet action piston ring compressors
- Available in medium, large and large long reach configurations to suit a wide range of applications
- Spring assisted ratchet locking mechanism with sq. drive key

Part No.	Suits	Capacity mm	Depth mm	PRICE
660370	Cars & light commercial	57-125	80	\$58.95
660373	Commercial, industrial & agricultural over square engines	90-175	80	\$98.95
032200	Large commerical, industrial & agricultural	90-175	165	\$123.95



Bearing Packer

- Suits bearings up to 89mm (3 ½")
- Enclosed casing so grease stays in the tool cavity, not on your hands
- Clear casing allowing visual
- Simple hand operation





Universal Pulley Holder **Wrench Set**

- Vice grip style locking wrench holds clutch hubs, flywheels, gears, pulley and sprockets during lock nut removal and installation
- Five pairs of different size pins to suit common applications
- Jaw capacity: 140mm
- Pin working capacity: 22-145mm



Thin Wall Spark **Plug Sockets**

- Extra thin wall deep socket designed to access narrow spark plug holes found on many motorcycles
- Square drive: 3/8"

Part No: BS3550

Emergency CAM

Chain Breaking &

Riveting Tool Kit

For emergency chain repairs only

For quick cam chain replacement

Forged hardened alloy steel body and

Includes body, handle and push pins

Suits chain plate quantity: 2x3, 3x4, 4x5

Part No.	Size	PRICE			
BS9132	14mm	\$19.95			
BS9133	16mm	\$19.95			
BS9134	18mm	\$20.95			
BS9135	21mm	\$20.95			



- Suits: Bearings and oil seals 3%"-1 3%'
- Includes Drive Handles: 11 x 105mm, 16 x 130mm, 20 x 142mm
- Includes Bush Adaptors: $\%"-7/\epsilon"_n$, $\%'\epsilon"-1/\epsilon"_n$, $\%''-9/\epsilon"_n$, $\%''-9/\epsilon"_n$, $\%''-9/\epsilon"_n$, $\%''-1/\epsilon"_n$, $\%''-1/\epsilon"_n$, $\%''-1/\epsilon''_n$, $\%''-1/\epsilon''_n$, $1/\epsilon''-1/\epsilon''_n$, $1/\epsilon''$

Part No: BS30014

Magneto Flywheel Puller Set 1/2" Sq. Dr 14 Piece

- Features external threaded pullers
- designed for fixed-point type magneto flywheels
- Chrome alloy steel ball tip on shaft to reduce friction stress during disassembly





Piston Ring

Compressor Set

- The ideal compressor set for quick top end rebuilds or serious engine overhauls
- Supplied with piston ring pliers and swivel type compressor pliers
- For piston rings 35mm 111mm (1 3/8" 4 3/8")



Valve Spring Compressor Kit 6 Piece

- For removal and servicing of engine valves and seals upon cylinder head or engine repair
- Contains three interchangeable adaptors 19, 23 and 25mm
- Jaw depth: 110mm, Jaw Capacity: 20-135mm

Carburetor Adjusting

Tools Set 9 Piece

Part No: BS0059

components

Carburetor Adjusting Driver

D Type Socket 165mm

- For air/fuel mixture screws in confined spaces
- Specifically to make sensitive carburetor adjustment effortless

Front Fork Vice

- Holds round or awkward shaped items including forks, shocks, pistons
- Unique V shape jaws are covered with thick rubber pads to ensure items are held in place without damage
- Rotary function enables convenient fork access
- Max. opening: 100mm



Designed for those hard-to-reach air/fuel mixture screws on most multi-cylinder motorcycles • Special angled drive design assists in aligning the bit with the carburetor adjustment screw Includes Flat, Phillips, PH#2 and D-type bits Part No: BS8117



- Contains precision gauges, each with its own damping control
- 4 x 1200mm hose, clamps and fittings included
- Gauges are mounted to a portable heavy duty metal base for bench top use
- Suitable for multi carburetor balancing





Long soft brush for more delicate cleaning



Heat Shrink Tube Sets

- Protects and insulates components and wires
- Adhesive lined inner wall seals and protect against moisture preventing corrosion
- Quick and simple to shrink by heat gun

ı	Part No.	Pieces	Shrink Temp	Operating Temp	PRICE
	BS1030	171	70°C - 110°C	-55°C - 125°C	\$24.95
	BS1031	106	70°C - 120°C	-45°C - 125°C	\$67.95



Piston Ring Plier

- To remove and install piston rings during engine overhaul
- Tapered jaws hold and expand piston rings easily
- · Ratcheting function handle holds piston rings steady during removal and installation
- Suitable for piston rings: 35mm 111mm (1 3/8" 4 3/8")

Tappet Adjusting

Tool Set 6 Piece Three sockets and three adjusters which

- are interchangeable to allow nine different combinations
- Provides access for adjuster making tappet adjustment an easy operation
- Hex Wrenches: 8, 9, 10, Square Adjusters: 3 and 4mm

Part No: BS5502 Spoke Torque Wrench Set 22 Piece

- Dual-head spoke wrench enables tightening and removal of spokes in one piece
- Applies correct and equal tension to the spokes
- Spoke remover releases damaged or rusted spokes easily
- Torque pre-set at: 4 ft.lbs
- Sizes: 5.0, 5.6, 6.0, 6.2, 6.3, 6.5, 6.7, 6.8, 7.1mm and Spline



- For checking and adjusting the oil level on conventional and single chamber cartridge forks
- Graduated steel tube with adjustable level setting ring



- Three legs with independent leaf springs
- Spread: 19-45mm
- Reach: 73mm



Bearing Separator Kit Mechanical & Hydraulic 3 Jaw

- Contains all components for mechanical & hydraulic assembly
- Removes stubborn bearings, gears, sprockets and pulleys effortlessly without damaging shaft and surrounding
- Includes heavy duty 10 tonne hydraulic ram and 210mm forcing screw with centre nut, triple beam, various extension rods, puller leg set and three jaw bearing separator

Ideal for scooter, motorcycle and car batteries Zero volt start-up Enables charge to a dead battery Automatic maintenance mode Over charge protection Charging Current: 4AMP Charging Voltage: 7.3V / 14.8V





- Includes 75-105mm bearing separator
- Capacity: 10 tonne
- Spread: 180mm
- Reach: 425mm



Locking Tool Universal

- For locking camshafts during engine servicing and repairs
- Adjustable design for universal vehicle applications







KNIPEX 1000V Screwdrivers 98 20 30 NIPEX & 1000 V 🕦 🗲 Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force

- Handle design prevents rolling
- Made in Germany

WORK · BACK TO WORK

Part No.	Type	Length mm	Size mm	PRICE
98 20 30	Slotted	202	3.0	\$17.95
98 20 35	Slotted	202	3.5	\$18.95
98 20 40	Slotted	202	4.0	\$20.95
98 20 55	Slotted	232	5.5	\$23.95
98 20 65	Slotted	262	6.5	\$29.00
98 24 01	Phillips	187	PH1	\$22.95
98 24 02	Phillips	212	PH2	\$28.00

Timing Tool Kits



Timing Tool Kits

Designed to provide maximum market coverage for petrol and/or diesel vehicle applications in the servicing of timing belts, timing chain, gears and other engine repairs. Kits are available in master, popular and universal applications

Always refer to manufacturer's service notes or bulletins to ensure correct servicing instructions

	Part No.	Fuel Type	Suits	PRICE
	304757	Petrol	Audi, Skoda & Volkwagon	\$525.95
	304725	Petrol & Diesel	Audi, Skoda & Volkwagon	\$395.95
	304746	Diesel	Jaguar, Land Rover & Range Rover	\$187.95
	304730 Petrol		Ford & Mazda	\$61.95



0671-23. Prices valid 1 February to 31 March 2024. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698

10