

# The WORKSHOP Catalogue

October 2023 - January 2024 All prices quoted include GST.

## ACCUD

### Refractometer



- Measures fluid concentration levels (e.g. Coolant, Washer Fluid)

Range: 0-10%  
Graduations: 0.2%  
Weight: 0.8 Kg

**\$149**  
PN: AC-RM10

## ACCUD

### Measuring Equipment

### Infrared Thermometer

Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory

- Adjustable Emission Compensation
- Mutable sample capture alarm
- Battery Power Indicator
- Back-light LCD Display
- 1/4"-20 UNC Tripod Mount
- Laser Sight

Range: -50 to 1650 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

**\$495**  
PN: AC-IT1650S



## morrisflex



**The Performance Benchmark Has Just Been Reset!**

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.



**3/8" Head NG6 Coated 3 Piece Burr Set** PN: CBSET3NG6C **\$199**

**1/2" Head NG6 Coated 3 Piece Burr Set** PN: CBSET35NG6 **\$399**

**1/4" & 3/8" Head NG6 Coated 8 Piece Burr Set** PN: CBSET8NG6C **\$399**

Shank Dia: 1/4"

\* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

### 150 MM / 180° Combination Angle Finder



Length: 150 mm  
Graduation: 1°  
Accuracy: ±0.3°

**New!**

**\$29**

PN: AC-811-180-11

### Combination Square

90° or 45° square  
90° square accuracy: ±8',  
45° square accuracy: ±10'

**DURABLE CAST IRON HEAD!**

**\$129**

PN: AC-817-090-12



### Pencil Scriber

Nickel plated with Hardened tip  
Length: 250 mm



**New!**

**\$16**

PN: AC-995-006-11

## geiger™

### Filter / Regulator / Dryers

- Includes desiccant

Max Press.: 250 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Filter Element: 5µ-0.01µ

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFR-FLM864




**New!**

**IDEAL FOR SPRAY PAINTING!**

**\$229 ea**

### Air Dryer Desiccant Twin Packs

Includes two 10 g packs (20 g total)



**\$18**

PN: THBDES

### 1/2" Twin Hammer Impact Wrench

- Light weight composite body
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM  
Max Torque:  
685 Ft/lbs (928 Nm)  
Weight: 1.98kg



**SOCKET SET COMBO!**

Includes 13 Piece Chro-Moly impact socket set valued at \$129.

Metric PN: BIT260M1KM  
Imperial PN: BIT260M1KI

**\$399 ea**

## 3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:  
4-12 MM,  
4-20 MM  
4-32 MM



**\$179**  
PN: G3SD

## 1 to 13 MM HSS Drill Set

Set includes drill bits from 1 to 13 mm in 0.5 mm increments.

**25  
PIECE  
SET**

**M2 HIGH-SPEED  
STEEL**



**\$99**  
PN: GDS25

## 115 Piece Hss Drill Set

115 Piece set includes:  
29 Fractional Imperial Drill Bits from 1/16" (1.59 mm) to 1/2" (12.7 mm)  
60 ASME Standard Numbered Drill Bits from No.1 (5.79 mm) to No.60 (1.02 mm)  
26 ASME Standard Lettered Drill Bits from A (5.94 mm) to Z (10.49 mm)




**\$179**  
PN: GDS115

## VERTIX Tapping Attachments

### Reversible Direct Drive Tapping Attachment

- Rigid tapping chuck designed to be used in belt drive drills.
- Auto reverse at the end of tapping stroke Built-in clutch



Taper: MT2  
Capacity: 5-10 mm  
**\$339**  
PN: K2MT2

Taper: MT3  
Capacity: 6-14 mm  
**\$439**  
PN: K3MT3

Taper: MT3  
Capacity: 12-22 mm  
**\$799**  
PN: K4MT3

### Reversible Tapping Attachment

- Automatic feed & reverse
- Four torque settings
- Rubber collets for tap shank alignment



**\$945**  
PN: VTA12JT6

Capacity: M3-M12  
Arbor mount: JT6  
Max speed: 1000 RPM

**MT Arbors to suit on page 5.**

## Screw Extractor Set

5 piece set is suitable for extracting screws or bolts from 4M to M20.



**\$19**  
PN: GSES

## Metric 18 Piece Tap & Drill Set

18 piece set includes precision ground tap drill and thread taps for M2.5, M3, M3.5, M4, M5, M6, M8, M10 & M12 internal threads.



**\$99**  
PN: GTDS

## Letter Stamp Sets

27 piece set includes A-Z plus "&" character  
Made from CRV (6150).

10 mm Stamp Set

**\$110**

PN: GYC601-10

12 mm Stamp Set

**\$136**

PN: GYC601-12



## Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)  
Made from CRV (6150).



3 mm Stamp Set

PN: GYC602-3 **\$28**

4 mm Stamp Set

PN: GYC602-4 **\$30**

5 mm Stamp Set

PN: GYC602-5 **\$34**

6 mm Stamp Set

PN: GYC602-6 **\$40**

8 mm Stamp Set

PN: GYC602-8 **\$49**

10 mm Stamp Set

PN: GYC602-10 **\$59**

12 mm Stamp Set

PN: GYC602-12 **\$82**

## Alphanumeric Stamp Sets

36 piece set includes 27 "A" to "Z", "&", and 9 Piece 0-8 (6 is used as 9)  
Hardness: HRC 58-62°



3 mm Stamp Set

PN: GYC607-3 **\$57**

4 mm Stamp Set

PN: GYC607-4 **\$67**

5 mm Stamp Set

PN: GYC607-5 **\$79**

6 mm Stamp Set

PN: GYC607-6 **\$99**

8 mm Stamp Set

PN: GYC607-8 **\$159**

## Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.  
100 Piece set includes:  
9 Character Type Holder, hex wrench, A-Z, 0-9, &, /, - and blank space.

3 mm Stamp Set

**\$499**

PN: GYC610-3

6 mm Stamp Set

**\$659**

PN: GYC610-6



## Auto Centre Punch

- Adjustable hammer setting
- Overall length: 120 mm



**\$35**

PN: VACP1

## Hook & Pick Set


Includes Straight, Right-Angle, Curved & Hooked Picks.



**\$34**

PN: GXHP4

## Drill Press Vices



### 100 MM Drill Press Vice

Base: 177 x 161 mm  
Jaw Size: 101 x 23 mm  
Jaw opening: 100 mm

**\$49**

PN: TV102-4

### 200 MM Drill Press Vice

Base: 348 x 287 mm  
Jaw Size: 200 x 46 mm  
Jaw opening: 200 mm

**\$359**

PN: TV122-8

## Precision Drill Press Vices

- Hardened prismatic jaws
- Removable pin handle for extra torque



### 100 MM Drill Vice

Jaw Face: 103 x 32 mm  
Jaw opening: 80 mm

**\$259**

PN: GS101-4

### 125 MM Drill Vice

Jaw Face: 130 x 38 mm  
Jaw opening: 110 mm

**\$339**

PN: GS101-5

### 150 MM Drill Vice


Jaw Face: 155 x 38 mm  
Jaw opening: 130 mm

**\$389**

PN: GS101-6

## Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically




Capacity: 10-80 mm round  
Base: 230 x 161 mm (Hor.)  
Base: 161 x 135 mm (Vert.)  
Jaw width: 100 mm

**\$349**

PN: GVSR

## Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



### 100 MM Cross Vice

Base: 223 x 130 mm  
Overall height: 133 mm  
Jaw Size: 103 x 34 mm

**\$139**

PN: TV144-4

### 150 MM Cross Vice

Base: 280 x 160 mm  
Overall height: 160 mm  
Jaw Size: 154 x 44 mm

**\$239**

PN: TV144-6

## Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



**HEAVY DUTY  
CAST STEEL!**

### 150 MM Bench Vice

Jaw face: 155 x 85 mm  
Jaw opening: 150 mm  
Weight: 14 kg

**\$349**

PN: GBV6

### 200 MM Bench Vice

Jaw face: 205 x 85 mm  
Jaw opening: 200 mm  
Weight: 18 kg

**\$449**

PN: GBV8

## Right Angles Welders Vises



Designed to accurately hold same size bar at right angles to each other.

### 60 MM Jaw Opening

**\$149**

PN: TV274

### 100 MM Jaw Opening

**\$189**

PN: TV275

## JETON<sup>®</sup> Nozzle Kits

Made from POM plastic and is ideal for use with all petroleum solvents, lubricants and brake fluids.

Is not electrically conductive and compatible with EDM.

### Hose Assembly Pliers




1/4" PN: CS26171

3/8" PN: CS26176

1/2" PN: CS26172

**\$99 ea**



### 1/4" Assorted Nozzle Kit

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

**\$35**

PN: CS82020

### 1/2" Assorted Nozzle Kit

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

**\$53**

PN: CS84040

### Magnetic Base Kit with 25 MM Flare Nozzle

Includes Twenty 1/4" Segments, 1" Flare Nozzle, one 1/4" Male PT connector with Valve

**\$63**

PN: CS88105

### 3/8" Nozzle Kit

Includes 300 mm of 3/8" hose segments, 3/8" Round Nozzle & 3/8" Male PT Connector

**\$45**

PN: CS83030

### Main Flow Control Kits



### 1/4" Control Manifold

**\$55**


PN: CS52410

### 1/2" Control Manifold

**\$79**

PN: CS54410

### Coolant Hoses



1/4" x 15cm **\$27**

PN: CS82021

3/8" x 29cm **\$31**

PN: CS83031

1/2" x 24cm **\$35**

PN: CS84041

## Light Duty Live Centres

Point angle: 60°  
Accuracy: 0.005 mm



**Taper: MT1**  
Max Speed:  
3200 RPM  
**\$139**  
PN: VPCMT1

**Taper: MT2**  
Max Speed:  
2800 RPM  
**\$169**  
PN: VPCMT2

**Taper: MT3**  
Max Speed:  
2000 RPM  
**\$175**  
PN: VPCMT3

**Taper: MT4**  
Max Speed:  
1800 RPM  
**\$199**  
PN: VPCMT4

## Modular Live Centre Sets



- Suitable for heavy duty work
- Body made of SCM-4 tool steel
- Includes 7 points

**Taper: MT2**  
Max Speed:  
4000 RPM  
**\$289**  
PN: VLC312

**Taper: MT3**  
Max Speed:  
3000 RPM  
**\$339**  
PN: VLC313

**Taper: MT4**  
Max Speed:  
2500 RPM  
**\$399**  
PN: VLC314

## Lathe Tool Set

Centre Height: 12 mm  
9 Piece set includes replaceable tips and Case.



**HOT PRICE!**

**\$299**  
PN: JI12

## Diamond Knurling Tool

Pattern:  
Medium Diamond  
Shank: 100 x 12 mm  
Wheel Dia.: 19.5 mm  
Wheel Width: 8 mm

**\$49**  
PN: GKH



**SELF ADJUSTING HEAD**

## Centre Drill Set


5 Piece set includes sizes:  
1# Dia: 3.15 MM / 1.16 MM  
2# Dia: 4.7 MM / 2 MM  
3# Dia: 6.3 MM / 2.95 MM  
4# Dia: 4.9 MM / 3.2 MM  
5# Dia: 11 MM / 4.85 MM



**\$24**  
PN: GCDS

## Ang-Fix Milling Vises

- Semi-spherical mechanism pulls job down into jaws
- Hardened & precision ground
- Replaceable Jaws faces
- Removable handle



### 4" Ang-Fix Milling Vise

Jaw Face: 108 x 36 mm  
Opening: 103 mm  
Clamping force: 1500 kgf  
Size: 108W x 100H x 374L mm  
(with handle)

**\$799**  
PN: VMC4


### 6" Ang-Fix Milling Vise

Jaw Face: 156 x 46 mm  
Opening: 142 mm  
Clamping force: 2500 kgf  
Size: 156W x 120H x 472L mm  
(with handle)

**\$899**  
PN: VMC6

## Parallel Sets

- Hardness: HRC 48-53°
- Hardened & ground
- Ground on all four sides



### 3 MM Ground Parallel Set

Block Size: 3 x 150 mm  
Heights: 13, 16, 19, 22, 25, 28, 31, 35, 38 & 41 mm  
(1 pair per size.)  
Accuracy: 0.005 mm

**\$314**  
PN: VP018

### 8.5 MM Ground Parallel Set

Size: 8.5 x 150 mm  
Heights: 14, 16, 20, 24, 30, 32, 36, 40 & 44 mm  
(1 pair per size.)  
Accuracy: 0.005 mm

**\$458**  
PN: VP118A

## Clamp Kits

- Heat treated steel black oxide finish
- All parts can be purchased individually

Stud Lengths: 75, 100, 125, 150, 175, 200 mm  
Block size: 25 mm  
Sets consists of:  
6 x T-Nuts, 4 x Coupling Nuts,  
6 x Flange Nuts, 6 x Step Clamps,  
6 x Step Blocks, 24 x Studs



**M10 Clamp Kit**  
Stud: M10 x 1.5  
Slot: 12 mm  
**\$259**  
PN: CK10

**M14 Clamp Kit**  
Stud: M14 x 2  
Slot: 16 mm  
**\$335**  
PN: CK14

**M12 Clamp Kit**  
Stud: M12 x 1.75  
Slot: 14 mm  
**\$279**  
PN: CK12A

**M16 Clamp Kit**  
Stud: M16 x 2  
Slot: 18 mm  
**\$339**  
PN: CK16

**M12 Clamp Kit**  
Stud: M12 x 1.75  
Slot: 15.7 mm  
**\$279**  
PN: CK12B

## Drill Sleeves



Drill: MT1 Chuck: MT2 <b>PN: SL1X2 \$31</b>	Drill: MT3 Chuck: MT4 <b>PN: SL3X4 \$52</b>
Drill: MT1 Chuck: MT3 <b>PN: SL1X3 \$38</b>	Drill: MT3 Chuck: MT5 <b>PN: SL3X5 \$83</b>
Drill: MT1 Chuck: MT4 <b>PN: SL1X4 \$52</b>	Drill: MT3 Chuck: MT6 <b>PN: SL3X6 \$293</b>
Drill: MT2 Chuck: MT3 <b>PN: SL2X3 \$38</b>	Drill: MT4 Chuck: MT5 <b>PN: SL4X5 \$83</b>
Drill: MT2 Chuck: MT4 <b>PN: SL2X4 \$52</b>	Drill: MT4 Chuck: MT6 <b>PN: SL4X6 \$294</b>
Drill: MT2 Chuck: MT5 <b>PN: SL2X5 \$83</b>	Drill: MT5 Chuck: MT6 <b>PN: SL5X6 \$293</b>

## Drill Chuck Arbors



MT2 x JT6 Arbor PN: DCAMT2J6	<b>\$23</b>
MT3 x JT6 Arbor PN: DCAMT3J6	<b>\$30</b>
MT2 x J3 Arbor PN: DCAMT2J3	<b>\$23</b>
MT3 x B16 Arbor PN: DCAMT3B16	<b>\$30</b>

Other sizes available.

## Drift Slide Hammer

- Made from carbon steel
- Length: 375 mm
- Weight: 1.3 Kg
- HRC: 44-48°



**\$95**  
PN: VHD1

## Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use



### Keyless 13 MM Drill Chuck

Accuracy: 0.05 / 50 mm  
Length: 105.3 mm (closed)  
Mount: JT6

**\$189**  
PN: VKD102

### Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm  
Length: 110.3 mm (closed)  
Mount: JT6

**\$199**  
PN: VKD104

## Keyless Chuck Spanners

13 mm PN: VKD102SPANNER  
16 mm PN: VKD104SPANNER



**\$22 ea**

## Touch Point Edge Finder

Shaft dia.: 10 mm  
Touch point dia.: 4 mm  
Accuracy: ±0.003 mm  
Speed: 450-600 RPM  
Hardness: HRC56°



**\$98**  
PN: VPS302

## Metal Coolant Hose

Input: 3/8" BSP  
Nozzle Dia.: 5 mm  
Length: 52 cm

**\$79**  
PN: CSMET500



## 62 Pocket End Mill Stand

Shank Range: 6-42 mm  
Capacity: 15 x 6 mm, 12 x 8 mm,  
10 x 10 mm, 8 x 16 mm, 7 x 20 mm,  
6 x 25 mm, 2 x 32 mm & 2 x 42 mm  
Material: ABS



**\$45**  
PN: VMS2

## Rotary Jobber Drill Stand

Range: 1-13 mm  
Capacity: 100 drill bits  
Size: 174 x 90 mm



**\$45**  
PN: VMS3

## geiger™ Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate). Mix between 5% to 10% with clean tap water.

1 Litre      5 Litres      20 Litres

**\$32**      **\$116**      **\$399**  
PN: SOLOIL1      PN: SOLOIL5      PN: SOLOIL20



## End Mill Chamfers



### 3-25 MM End Mill Chamfer

Insert: TCMT16T3  
Shank dia.: 12 mm  
Length: 110 mm  
Dia.: 25 mm

**\$178**  
PN: TC12

### 20-36 MM End Mill Chamfer

Insert: TCMT16T3  
Shank dia.: 12 mm  
Length: 100 mm  
Dia.: 40 mm

**\$188**  
PN: TC40

## 24V Halogen Lamps

- Totally enclosed lighting head
- Efficient quartz halogen bulb
- Swivel Base
- \*\*Requires External 24v Power



Large Lamp  
800 mm Reach

**\$210**  
PN: AL101A

Medium Lamp  
450 mm Reach

**\$199**  
PN: AL101B

Short Lamp

**HOT PRICE!**

**\$99**  
PN: AL101C


24V Transformer  
Includes 4 mounting holes  
Input: 240 VAC  
Output:  
150 Watts / 24 VAC

**\$79**  
PN: AL24024

**WHILE STOCKS LAST!**



### Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"  
Accuracy: ±0.03/01"

**150 mm Dual Scale Vernier Caliper**

PN: AC-120-006-12

**\$83**

**200 mm Dual Scale Vernier Caliper**

PN: AC-120-008-12


**\$116**

**300 mm Dual Scale Vernier Caliper**

PN: AC-120-012-12

**\$188**

### 150 mm Digital Plastic Caliper




Resolution: 0.01 mm / 005"  
Accuracy: ±0.1 mm

PN: AC-117-006-11

**\$49**

### Dual Scale Digital Calipers



**USB DATA OUTPUT**

Resolution: 0.01 mm  
Accuracy: ±0.03 mm

**150 mm Dual Scale Digital Caliper**

PN: AC-111-006-12

**\$104**

**200 mm Dual Scale Digital Caliper**

PN: AC-111-008-12


**\$157**

**300 mm Dual Scale Digital Caliper**

PN: AC-111-012-12

**\$231**

### Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

**USB DATA OUTPUT**

- Highly accurate glass scale
- USB data output

**150 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-006-11

**\$136**

**200 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-008-11


**\$184**

**300 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-012-11

**\$262**

### Fractional Imperial & Metric Digital Calipers



Resolution: 0.01 mm, 05", 1/128"  
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

**150 mm Fractional Imperial Digital Caliper**

PN: AC-113-006-11

**\$146**

**200 mm Fractional Imperial Digital Caliper**

PN: AC-113-008-11

**\$198**

**300 mm Fractional Imperial Digital Caliper**

PN: AC-113-012-11

**\$286**

### Metric Dial Calipers



**150 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.03 mm

PN: AC-101-006-11

**\$157**

**200 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.03 mm

PN: AC-101-008-11

**\$188**

**300 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.04 mm

PN: AC-101-012-11

**\$293**

### Coolant Proof IP67 Dual Scale Digital Calipers



**150 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12

**\$272**

**200 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

PN: AC-112-008-12

**\$352**


**300 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12

**\$619**

### Dual Scale Long Series Digital Calipers



**USB DATA OUTPUT**

- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

**600 mm Dual Scale Digital Caliper**

Range: Outside 0-620 mm / 0-24.5"  
Inside 20-600 mm / 0-24"

Resolution: 0.01 mm / 05"  
Accuracy: ±0.05 mm / 02"  
Jaw Reach: 100 mm

PN: AC-118-024-11

**\$657**

**1000 mm Dual Scale Digital Caliper**


Range: Outside 0-1020 mm / 0-40.2"  
Inside 20-1000 mm / 0-40"

Resolution: 0.01 mm / 05"  
Accuracy: ±0.08 mm / 03"  
Jaw Reach: 150 mm

PN: AC-118-040-11

**\$1,259**

### Dual Scale Vernier Calipers



- Fine Adjustment
- Made of stainless steel
- Stain chrome reading surface

**600 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.05 mm

PN: AC-127-024-11

**\$419**

**1000 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.08 mm

PN: AC-127-040-11

**\$1,182**

**2000 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.14 mm

PN: AC-127-080-11

**\$3,620**

## Dial Indicators

### 10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm  
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11

**\$90**

### 25mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: 20 µm

PN: AC-229-025-11

**\$122**

### 1" Dial Indicator

Graduation: 0.1"  
Accuracy: 20 µm

PN: AC-225-025-11

**\$90**

### 25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 005"  
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
  - Supplied with flat & lug back



PN: AC-212-025-13

**\$209**

## Indicator Point Extensions



### Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

**\$21**

50 mm - PN: AC-270-000-09

**\$21**

75 mm - PN: AC-270-000-14

**\$26**

100 mm - PN: AC-270-000-17

**\$26**

IMPERIAL SIZES AVAILABLE

## Caliper Attachments

### Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



Caliper not included.

PN: GCAK

**\$51**

### 75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00

**\$39**

### 100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01

**\$79**



## Dial Indicator & Magnetic Stand Kits

### 10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.01 mm  
Accuracy: ±20 µm

PN: AC-280-000-02

**\$176**

### 1" Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.001"  
Accuracy: ±20 µm

PN: AC-280-001-02

**\$176**



- Supplied in Aluminium Case

## Universal Magnetic Stands

### Fine Adjustment Magnetic Stand

Stem holes: 8 mm  
Magnetic Force: 60 kgf



PN: AC-281-060-01

**\$83**

### Magnetic Stand

Stem holes: 8 mm  
Magnetic Force: 60 kgf



PN: AC-281-060-02

**\$77**

### Mini Universal Magnetic Stand

Magnetic Force: 40 kgf  
Stem holes: 8 mm  
Height: 231 mm  
Arm length: 192 mm



PN: AC-286-040-01

**\$194**

### Universal Magnetic Stand

Stem hole: 8 mm  
Height: 395 mm  
Arm Lengths: 340 mm  
Magnetic Force: 80 kgf



PN: AC-282-080-02


**\$219**

### Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

**\$44**



## Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

### 40 µm Dial Test Indicator

Graduation: 0.001 mm  
Accuracy: ±4 µm

PN: AC-261-014-01

**\$369**

### 80 µm Dial Test Indicator

Graduation: 0.01 mm  
Accuracy: ±13 µm

PN: AC-261-008-11

**\$132**



## Dial Indicators

### 30 mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-229-030-11

**\$143**

- 1 mm range per revolution
- Lug and flat back

### 50 mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-229-050-21

**\$314**

### 2" Imperial Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-225-050-11

**\$143**



## Dial Bore Gauges

### 18-35 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.015 mm

PN: AC-251-035-11

**\$249**

### 35-60 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.018 mm

PN: AC-251-060-11

**\$249**

### 50-160 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.018 mm

PN: AC-251-160-11

**\$249**

### 2-6" Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.0071"

PN: AC-252-060-11

**\$272**



### 18-160 mm Dial Bore Gauge Set

Range: 18-160mm  
Indicating range: 10 mm  
Graduations: 0.01 mm  
Accuracy:  
18-35mm / ±0.015 mm  
35-60mm / ±0.018 mm  
50-160mm / ±0.018 mm

PN: AC-251-346-13

**\$734**





### Dual Scale Stainless Rulers



#### 150 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-006-11  
**\$12**

#### 600 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-024-11  
**\$52**

#### 300 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-012-11  
**\$20**

#### 1000 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-040-11  
**\$69**

### Straight Edge Rulers



#### 300 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 40 mm  
 Length: 300 mm  
 PN: AC-991-012-01  
**\$139**

#### 500 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 40 mm  
 Length: 500 mm  
 PN: AC-991-020-01  
**\$215**

#### 1000 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 50 mm  
 Length: 1000 mm  
 PN: AC-991-040-01  
**\$465**

### Radius Gauge Sets



• Includes concave & convex gauge for each size

#### 1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm  
 PN: AC-941-007-34  
**\$36**

#### 7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm  
 PN: AC-941-015-32  
**\$36**

#### 15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm  
 PN: AC-941-025-30  
**\$36**

### Double Ended Scriber

• Nickel plated with Hardened tips  
 • Knurled handle  
 Length: 250 mm



PN: AC-995-009-01  
**\$17**

### Dividers & Calipers



#### 200 mm Inside Spring Caliper

Range: 18-190 mm  
 Length: 200 mm  
 PN: AC-982-008-01  
**\$36**



#### 200 mm Spring Divider

Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-985-008-01  
**\$36**



#### 200 mm Outside Spring Caliper

Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-984-008-01  
**\$36**



#### 200 mm Dividing Caliper

Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-986-008-01  
**\$36**

#### 300 mm Inside Spring Caliper

Range: 18-290 mm  
 Length: 300 mm  
 PN: AC-982-012-01  
**\$49**

#### 300 mm Spring Divider

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-985-012-01  
**\$49**

#### 300 mm Outside Spring Caliper

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-984-012-01  
**\$49**

#### 300 mm Dividing Caliper

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-986-012-01  
**\$49**

#### 500 mm Inside Spring Caliper

Range: 25-490 mm  
 Length: 500 mm  
 PN: AC-982-020-01  
**\$76**

#### 500 mm Spring Divider

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-985-020-01  
**\$76**

#### 500 mm Outside Spring Caliper

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-984-020-01  
**\$76**

#### 500 mm Dividing Caliper

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-986-020-01  
**\$65**

### Wide Base Machinist Squares (Grade 2)

#### 100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm  
 Base size: 19H x 12W x 70L mm  
 Blade Thickness: 3 mm  
 PN: AC-845-004-02  
**\$39**

#### 150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β) 35 μm  
 Base size: 25H x 16W x 100L mm  
 Blade Thickness: 3 mm  
 PN: AC-845-006-02  
**\$53**

#### 200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm  
 Base size: 32H x 16W x 130L mm  
 Blade Thickness: 4 mm  
 PN: AC-845-008-02  
**\$66**

#### 300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm  
 Base size: 32H x 19W x 200L mm  
 Blade Thickness: 4 mm  
 PN: AC-845-012-02  
**\$99**

#### 600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm  
 Base size: 50H x 30W x 350L mm  
 Blade Thickness: 6 mm  
 PN: AC-845-024-02  
**\$374**



### Thread Gauge Sets



#### Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm  
 Whitworth 55° Range: 4-62 TPI  
 PN: AC-925-062-52  
**\$35**

#### Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm  
 PN: AC-922-006-24  
**\$23**

#### Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI  
 PN: AC-924-042-30  
**\$26**

### Circumference Tape



#### 60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm  
 Graduation: 0.1 mm  
 PN: AC-956-012-11  
**\$41**

#### 940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm  
 Graduation: 0.1 mm  
 PN: AC-956-028-11  
**\$58**

#### 2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm  
 Graduation: 0.1 mm  
 PN: AC-956-044-11  
**\$77**



## Digital Level & Protractor

- Magnetic V-groove Base



Size: 150 mm x 60 mm x 33 mm  
Accuracy :  $\pm 0.1^\circ$  (at  $0^\circ/90^\circ/180^\circ/270^\circ$ )  
 $\pm 0.2^\circ$  (other direction)

Resolution: 0.05°

PN: AC-722-360-01

**\$210**

## Digital Protractor

- Functions: Zero point, ABS, Hold
- Level Vial



Range: 360°  
Resolution: 0.05°  
Accuracy:  $\pm 0.15^\circ$   
Length: 250 mm

PN: AC-726-360-01

**\$199**

## Digital Level

- Magnetic base

Range: 0-360°  
Resolution: 0.1°  
Dimensions:  
59 x 59 x 28 mm  
Accuracy:  $\pm 0.1^\circ$   
 $\pm 0.2^\circ$  (other directions)



PN: AC-721-180-01

**\$122**

## 200 MM Frame Level

- Two vee & two flat reference faces



Sensibility:  
0.02 mm / m per division  
Size: 200 x 200 x 35 mm

PN: AC-711-008-02

**\$363**

## 600 MM Digital level

- Functions as level or protractor
- Back-light Display
- Absolute horizon memory
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch.  
Resolution: 0.1°



PN: AC-725-360-01

**\$185**

## Block Levels



- 140° Vee Groove

Sensibility: 0.02 mm / m per division

### 150 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-006-02

**\$310**

### 200 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-008-02

**\$349**

### 300 mm Block Level

Size: 300 x 40 x 45 mm

PN: AC-713-012-02

**\$388**

## Feeler Gauges



### 200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 200 mm

PN: AC-914-100-20

**\$44**

### 150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 150 mm

PN: AC-913-100-20

**\$36**

### 300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 300 mm

PN: AC-915-100-20

**\$50**

## Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm  
Imperial Range: 0.127" - 0.762"  
Blade Length: 100 mm



PN: AC-919-030-26

**\$48**

## Feeler Tapes

Size: 13 mm x 5 m  
Accuracy:  $\pm 4 \mu\text{m}$



### 0.02 mm Feeler Tape

PN: AC-916-002-01

**\$47**

### 0.04 mm Feeler Tape

PN: AC-916-004-01

**\$41**

## Combination Squares

### Combination Square

90° or 45° square  
90° square accuracy:  $\pm 8'$ ,  
45° square accuracy:  $\pm 10'$

**Wear Resistant  
Cast Iron Head**



PN: AC-817-090-12

**\$129**

### Combination Square Set

Circle Centre Finder 90° or 45° square  
Accuracy:  $\pm 0.15 \text{ mm}$  90° square accuracy:  $\pm 8'$ ,  
Ruler range: 300 mm / 12" 45° square accuracy:  $\pm 10'$

### Protractor

Range: 0-180°  
Accuracy:  $\pm 7'$

PN: AC-817-180-02

**\$255**



## Marking Gauges

### 100 mm Centre Marking Gauge

Range: 4-90 mm  $\emptyset$   
Accuracy:  $\pm 0.15 \text{ mm}$

PN: AC-993-004-01

**\$122**

### 150 mm Centre Marking Gauge

Range: 4-90 mm  $\emptyset$   
Accuracy:  $\pm 0.15 \text{ mm}$

PN: AC-993-006-01

**\$150**



## Angle Finders



### 150 mm / 180° Angle Finder

Length: 150 mm  
Graduation: 1°  
Accuracy:  $\pm 0.3^\circ$

PN: AC-812-005-01

**\$62**

### 200 mm / 180° Angle Finder

Length: 200 mm  
Graduation: 1°  
Accuracy:  $\pm 0.3^\circ$

PN: AC-812-006-01

**\$84**

### 300 mm / 180° Angle Finder

Length: 300 mm  
Graduation: 1°  
Accuracy:  $\pm 0.3^\circ$

PN: AC-812-008-01

**\$122**

### 500 mm / 180° Angle Finder

Length: 500 mm  
Graduation: 1°  
Accuracy:  $\pm 0.3^\circ$

PN: AC-812-012-01

**\$183**

## Combination Rulers



### 200 mm Digital Combination Ruler

Length: 200 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-008-01

**\$104**

### 300 mm Digital Combination Ruler

Length: 300 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-012-01

**\$122**

## Radius & Hole Gauges

### Radius Gauge Set



Range: 0.5-13 mm  
Accuracy:  $\pm 0.05 \text{ mm}$   
Increments: 0.5 mm

PN: AC-942-013-26

**\$100**

### Small Hole Gauge Set

Range: 3-13 mm




PN: AC-952-004-01

**\$59**

## Welding Gauges

### Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,  
9, 10, 11, 12,  
14, 16, 19,  
22 & 25 mm  
Accuracy:  
0.5 mm



PN: AC-977-025-01

**\$58**

### Welding Gauge

Range: 0-6 mm  
Porosity Comparison  
Range: 1.5 & 3 mm  
Graduation: 0.5 mm  
Accuracy: 0.5 mm

PN: AC-978-006-01

**\$58**





### Moisture Meter

Temp. Range: -10-60 °C  
Humidity Range: 0.1 °C RH  
Moisture Range:  
2-40/50/60/70%  
(for wood samples)

PN: AC-WMM700  
**\$91**



### Concrete Moisture Meter

Range: 0-40%  
Resolution: 0.5 %  
Accuracy: ±2%


PN: AC-WMM900  
**\$459**



### 200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel  
Magnification: 10 - 200x  
Interface: USB2.0 or Wifi



Connects to any Wifi enabled Laptop, Phone or Tablet.



PN: AC-WIFI200  
**\$480**

### Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db  
Accuracy: 1.5 db  
Resolution: 0.1 db  
Weight: 64g

PN: AC-SLM130  
**\$122**



### Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s  
Accuracy: ±5%  
Resolution: 0.1m/s  
Weight: 154g

PN: AC-AM30  
**\$122**



### 950° Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
- Battery Power Indicator
- Mutable sample capture alarm
- Back-light LCD Display
- 1/4"-20 UNC Tripod Mount
- Laser Sight

Measuring range: -50 to 950 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

PN: AC-IT700  
**\$178**



### Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa

Units: HV, HB, HRC, HRB, HS & tensile strength MPa

Accuracy: ±8 HLD / 0.8 HRC (HLD=800)  
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)  
Min. sample thickness: 5 mm  
Min. sample diameter: 22 mm  
Max. sample roughness: 1.61-Jm(Ra)  
Power: 3 x AAA battery  
Dimensions: 121 x 68 x 30 mm

PN: AC-HL350  
**\$835**



### Contact Tachometer

Rotary Range: 0.5-19,999 rpm  
Linear Range: 0.05-1999.9 m/min  
Power Supply: 2 x AAA  
Weight: 106g

- Includes various coupling attachments

PN: AC-CT900  
**\$129**



### Laser Tachometer

Range: 2.5 - 99,999 RPM  
Sampling Range: 50 - 500 mm  
Power Supply: 2 x AAA  
Weight: 106 g

Supplied with 45 cm of 3M™ Reflective Tape.

PN: AC-LT900  
**\$122**



### Coating Thickness Gauge

- Measure the thickness of non-magnetic coatings on magnetic and non magnetic substrates
- Single and continuous sampling modes
- Low, High & Average functions



PN: AC-CFN1200B  
**\$399**

### Roughness Tester

- Roughness value, profile & curve
- 100 samples Memory

Range: 160 µm  
Resolution: (RA) 0.001 µm  
Units: RA, Rz, Ry, Rq, Rp, Rm, Rt, R3z, Rmax, Sk, Sm & TP



PN: AC-SR200  
**\$2599**

### Window Tint Meter

- Accurate under all lighting conditions
- Roadworthy compliant
- Magnetised sensor heads
- Large LCD display
- Stored in durable plastic case

Max. Sample Thickness: 18 mm  
Resolution: 0.1%  
Power Source: 4 x AAA  
Weight: 100g

**ROADWORTHY COMPLIANT**

PN: AC-WTM2000  
**\$499**



**HOT PRICE!**

**New!**

### 3 Piece Measuring Tool Set

**150 mm Digital Caliper**  
Resolution: 0.01 mm  
Accuracy: ±0.03 mm

**25 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 4µm

**Beveled Square**  
Size: 100 x 70 mm  
DIN875 grade 0  
Squareness: 7µm



PN: AC-280-000-13  
**\$282**

### Micrometer Stand

Micrometer not included.



PN: AC-381-000-00  
**\$55**

### Metric Outside Micrometers



**SIZES AVAILABLE UP TO 1000 mm**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

**25 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 4 µm  
Jaw Reach: 29 mm  
PN: AC-321-001-01  
**\$69**

**25-50 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 4 µm  
Jaw Reach: 39 mm  
PN: AC-321-002-01  
**\$73**

**75-100 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 5 µm  
Jaw Reach: 65 mm  
PN: AC-321-004-01  
**\$94**

**50-75 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 5 µm  
Jaw Reach: 53 mm  
PN: AC-321-003-01  
**\$83**

**100-25 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 6 µm  
Jaw Reach: 65 mm  
PN: AC-321-005-01  
**\$122**

### Tubular Inside Micrometer Sets



- Carbide measuring faces

**50-300 mm Metric Tubular Inside Micrometer Set**  
Head Range: 13 mm  
Graduation: 0.01 mm  
PN: AC-352-012-01  
**\$418**

**50-600 mm Metric Tubular Inside Micrometer Set**  
Head Range: 13 mm  
Graduation: 0.01 mm  
PN: AC-352-024-01  
**\$499**

### Telescopic Gauge Set

Handle lengths: 115-137 mm  
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01  
**\$83**

### 1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm  
Graduation: 0.01 mm  
Size: 150 x 60 x 33 mm

PN: AC-297-003-11  
**\$326**

### 300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"  
Resolution: 0.01 mm/0.0005"  
Accuracy: ±0.04 mm  
Beam Width: 23 mm  
External Jaw Reach: 80 mm  
Length: 470 mm

PN: AC-181-012-11  
**\$524**



### Imperial Outside Micrometers



**SIZES AVAILABLE UP TO 40"**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

**1" mm Outside Micrometer**  
Graduation: 0.0001"  
Accuracy: ±0.00015"  
Jaw Reach: 29 mm  
PN: AC-324-001-01  
**\$79**

**1-2" mm Outside Micrometer**  
Graduation: 0.0001"  
Accuracy: ±0.00015"  
Jaw Reach: 39 mm  
PN: AC-324-002-01  
**\$87**

**3-4" Outside Micrometer**  
Graduation: 0.0001"  
Accuracy: ±0.0002"  
Jaw Reach: 53 mm  
PN: AC-324-004-01  
**\$104**

**2-3" mm Outside Micrometer**  
Graduation: 0.0001"  
Accuracy: ±0.0002"  
Jaw Reach: 53 mm  
PN: AC-324-003-01  
**\$100**

**4-5" Outside Micrometer**  
Graduation: 0.0001"  
Accuracy: ±0.00025"  
Jaw Reach: 65 mm  
PN: AC-324-005-01  
**\$135**

### Micrometer Sets

- Supplied with Calibration certificate



**IMPERIAL SETS AVAILABLE**

**75 mm Micrometer 3 Piece Set**  
Set of 3 Micrometers  
Range: 0-75 mm  
Graduation: 0.01 mm  
Accuracy: 5 µm  
PN: AC-321-003-03  
**\$209**

**100 mm Micrometer 4 Piece Set**  
Set of 4 Micrometers  
Range: 0-100 mm  
Graduation: 0.01 mm  
Accuracy: ± 4-5 µm  
PN: AC-321-004-04  
**\$356**

**150 mm Micrometer 6 Piece Set**  
Set of 6 Micrometers  
Range: 0-150 mm  
Graduation: 0.01 mm  
Accuracy: ± 4-6 µm  
PN: AC-321-006-06  
**\$587**

**150-300 mm Micrometer 6 Piece Set**  
Set of 6 Micrometers  
Range: 150-300 mm  
Graduation: 0.01 mm  
Accuracy: ± 4-6 µm  
PN: AC-321-012-06  
**\$1045**

**300 mm Micrometer 12 Piece Set**  
Set of 12 Micrometers  
Range: 0-300 mm  
Graduation: 0.01 mm  
Accuracy: ± 4-6 µm  
PN: AC-321-012-12  
**\$1549**

### Depth Caliper & Micrometers

**25 mm Digital Depth Caliper**  
• USB data output

Resolution: 0.01 mm  
Accuracy: ±0.03 mm

PN: AC-176-001-11  
**\$143**



**0-150 mm Micrometer with Captive Anvils**  
PN: AC-392-006-01  
**\$453**

**0-300 mm Micrometer with Captive Anvils**  
Accuracy: ±3 µm  
Base size: 101.5 x 17 mm  
PN: AC-392-012-01  
**\$710**




**200 mm Digital Depth Caliper**  
PN: AC-171-008-11  
**\$187**

**300 mm Digital Depth Caliper**  
PN: AC-171-012-11  
**\$414**

**500 mm Digital Depth Caliper**  
PN: AC-171-020-11  
**\$713**

Resolution: 0.01 mm  
Accuracy: ±0.03 mm



### Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
- Carbide measuring faces
- Ratchet stop.


**25 mm Coolant Proof IP65 Dual Scale Digital Micrometer**  
Graduation: 0.1 mm  
Accuracy: 3 µm  
Jaw Reach: 25 mm  
PN: AC-313-001-02  
**\$262**

**25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer**  
Graduation: 0.1 mm  
Accuracy: 3 µm  
Jaw Reach: 32 mm  
PN: AC-313-002-02  
**\$314**



## 1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



**Stainless Carbide Burrs also available.**

### Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	<b>\$42</b>
3	2 3/8"	CBSE3	<b>\$62</b>
5	2 5/8"	CBSE5	<b>\$83</b>

### Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	<b>\$42</b>
3	2 1/2"	CBSF3	<b>\$62</b>
5	2 3/4"	CBSF5	<b>\$83</b>

### Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	<b>\$42</b>
3	2 1/2"	CBSG3	<b>\$62</b>
5	2 3/4"	CBSG5	<b>\$83</b>

### Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	<b>\$42</b>
3	2 1/2"	CBSA3	<b>\$62</b>
5	2 3/4"	CBSA5	<b>\$83</b>

### End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	<b>\$42</b>
3	2 1/2"	CBSB3	<b>\$62</b>
5	2 3/4"	CBSB5	<b>\$83</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	<b>\$42</b>
3	2 1/2"	CBSC3	<b>\$62</b>
5	2 3/4"	CBSC5	<b>\$83</b>

### Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	<b>\$42</b>
3	2 1/8"	CBSD3	<b>\$62</b>
5	2 1/4"	CBSD5	<b>\$83</b>

### Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	<b>\$42</b>
3	2 1/2"	CBSH3	<b>\$62</b>
5	3"	CBSH5	<b>\$83</b>

### Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	<b>\$42</b>
3	3"	CBSL3	<b>\$62</b>
5	3"	CBSL4	<b>\$83</b>

### Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	<b>\$42</b>
3	2 1/2"	CBSM4	<b>\$62</b>
5	2 3/4"	CBSM5	<b>\$83</b>

### Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	<b>\$42</b>
3	2 1/8"	CBSN3	<b>\$62</b>
5	2 1/4"	CBSN5	<b>\$83</b>

### 60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	<b>\$42</b>
3	2 1/4"	CBSJ3	<b>\$62</b>
5	2 3/8"	CBSJ5	<b>\$83</b>

### 90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	<b>\$42</b>
3	2 1/8"	CBSK3	<b>\$62</b>
5	2 1/8"	CBSK5	<b>\$83</b>

## 1/4" Extended Carbide Burrs

### 6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	<b>\$98</b>
End Cut Cylinder	CBSB3L6	<b>\$98</b>
Radiused Cylinder	CBSC3L6	<b>\$98</b>
Ball	CBSD3L6	<b>\$98</b>
Oval	CBSE3L6	<b>\$98</b>
Radiused Tree	CBSF3L6	<b>\$98</b>
Pointed Tree	CBSG3L6	<b>\$98</b>
Radiused Cone	CBSL3L6	<b>\$98</b>

### 6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	<b>\$98</b>
Ball	CBSD3L6NF	<b>\$98</b>
Oval	CBSE3L6NF	<b>\$98</b>
Radiused Tree	CBSF3L6NF	<b>\$98</b>
Flame	CBSH3L6NF	<b>\$98</b>

## Carbide Burr Sets

### 1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



**\$194**

PN: CBSET10

### 3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



**\$154**

PN: CBSET3

### 1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



**\$320**

PN: CBSET8

### 1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



**\$348**

PN: CBSET5

### 3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



**\$183**

PN: CBSET3NF

### 3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



**\$198**

PN: CBSET3INOX

**New!**

## NG6 NEXT GENERATION ACCELERATOR

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.\*



### Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	<b>\$79</b>
5	2 3/4"	CBSF5NG6C	<b>\$110</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	<b>\$79</b>
5	2 3/4"	CBSC5NG6C	<b>\$110</b>

### Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	<b>\$79</b>
5	2 3/4"	CBSA5NG6C	<b>\$110</b>


### Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	<b>\$79</b>

\* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

## Bolt Removal Kits

The simple 4 step process involves:



Size	PN	Price
M6	CBSETBRM6	<b>\$99</b>
M8	CBSETBRM8	<b>\$105</b>
M10	CBSETBRM10	<b>\$122</b>
M12	CBSETBRM12	<b>\$132</b>
M14	CBSETBRM14	<b>\$165</b>

## 1/4" Shank Non-ferrous Carbide Burrs

### Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	<b>\$62</b>
3	2 1/2"	CBSA3NF	<b>\$79</b>
5	2 3/4"	CBSA5NF	<b>\$98</b>

### Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	<b>\$62</b>
3	3"	CBSL3NF	<b>\$79</b>
5	3"	CBSL4NF	<b>\$98</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	<b>\$62</b>
3	2 1/2"	CBSC3NF	<b>\$79</b>
5	2 3/4"	CBSC5NF	<b>\$98</b>

### Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	<b>\$98</b>

### Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	<b>\$62</b>
3	2 1/8"	CBSD3NF	<b>\$79</b>
5	2 1/4"	CBSD5NF	<b>\$98</b>

### Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1NF	<b>\$62</b>
3	2 1/2"	CBSG3NF	<b>\$79</b>
5	2 3/4"	CBSG5NF	<b>\$98</b>

### Oval Burrs



Size	Length	PN	Price
1	2"	CBSE1NF	<b>\$62</b>
3	2 3/8"	CBSE3NF	<b>\$79</b>
5	2 5/8"	CBSE5NF	<b>\$98</b>

### Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1NF	<b>\$62</b>
3	2 1/4"	CBSF3NF	<b>\$79</b>
5	2 3/8"	CBSF5NF	<b>\$98</b>

## 1/8" Carbide Burrs


1/8" Shank Carbide Burrs are available in the following head diameters:



Shape	Size	PN	Price
Cylinder	0	CBSA43	<b>\$26</b>
Cylinder	00	CBSA42	<b>\$26</b>
Radiused Cylinder	0	CBSC41	<b>\$26</b>
Radiused Cylinder	00	CBSC42	<b>\$26</b>
Ball	0	CBSD42	<b>\$26</b>
Oval	0	CBSE41	<b>\$26</b>
Radiused Tree	0	CBSF42	<b>\$26</b>
Pointed Tree	0	CBSG43	<b>\$26</b>
Radiused Cone	0	CBSL42	<b>\$26</b>
Cone Burr	0	CBSM42	<b>\$26</b>

## Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.



## HB-Series Storage Bins

### Geiger Small Short Bin

Size: 105W x 137D x 76H mm



**\$4.90 ea**

- PN: HB210B
- PN: HB210R

### Geiger Small Bin

Size: 105W x 187D x 76H mm



**\$5.30 ea**

- PN: HB220B
- PN: HB220R

### Geiger Medium Bin

Size: 140W x 276D x 127H mm



**\$11.60 ea**

- PN: HB230B
- PN: HB230R

### Geiger Large Short Bin

Size: 210W x 273D x 178H mm



**\$18.90 ea**

- PN: HB239B
- PN: HB239R

### Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



**\$17.50 ea**

- PN: HB235B
- PN: HB235R

### Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm



**\$29 ea**

- PN: HB250B
- PN: HB250R

## Mobile HB Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.



HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of Blue or Red.  
Overall Size:  
740W x 560D x 1460H mm

**\$1199**

PN: MS20020K



## Wall Mountable

All HB series bins can be wall mounted when combined with HP Hanging Panels (see HP1 & HP1KIT). HP Panels can be tiled together and mounted horizontally or vertically.



## Clap Boards

Segregate similar types of products that relate to each other (e.g. nuts & bolts) with Clap Boards. Take one HB bin to the job while keeping things organized. Clap Boards are included with HB duplex bins.



## Free Standing Bench Storage

Included with all HB bins are four interlocking legs. Create free-standing versatile bench storage.

**SPACE SAVING**



## HB Storage Bin Hanging Panels

Includes 2 Panels, 40 x HB210 Bins, screws & wall plugs.



**HANG PANELS HORIZONTALLY OR VERTICALLY**

- PN: HP1KITB
- PN: HP1KITR

**\$229 ea**

## Set of 2 Hanging Panels

Includes 2 Panels, screws & wall plugs.  
Size: 605W x 455H x 8D mm

**\$79**

PN: HP1



## HD Shelf Cabinets

Heavy Duty Steel Lockable 3 Shelf Cabinet.

Size: 880W x 400D x 880H mm

**\$990**

PN: THD2S



**LOCKABLE DOORS**

## HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.  
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and is acid and oil resistant. Drawer size: 140W x 370D x 100H mm

### HD Drawer

Internal size: 140W x 370D x 100H mm  
Can take up to 7 Dividers



**\$19**  
PN: HD1641

### HD Drawer Dividers

Packet of 10



**\$19**  
PN: HD1641DIV

### 30 Drawer Parts Cabinet

980W x 400D x 1010H mm  
(inc handle and caster wheels)



**\$1100**  
PN: NHD530

## Steel Parts Cabinets

### Steel Shelving Unit

Includes 5 steel shelves & brace  
880W x 400D x 1725H mm



**\$809**  
PN: NHD500

## 60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.  
880W x 400D x 1725H mm



**\$1695**  
PN: NHD560

## Multi Function Storage Bin

Includes bin and lid. Made from high impact polypropylene.  
Size: 450W x 360D x 250H mm

The NHA3645 bins can be stacked without a lid or nested together when not being used.

Rotate and nest bins together.

Stack bins with no lid needed.



**\$36**  
PN: NHA3645K



## Multi-Function Bins & Crates

### Jumbo Storage Bin

Includes removable two stage folding lid. Made from impact resistant polypropylene.  
Size: 395W x 635D x 335H mm



TAKES UP TO 30KG!

50 LITRE CAPACITY!

**\$69**  
PN: HB4068B

### Foldable Crates

Stackable in both collapsed and extended configuration  
Size: 535W x 360D x 280H mm  
Collapsed Height: 50 mm

SPACE SAVING COLLAPSIBLE DESIGN



**\$48**  
PN: FB5336B

## Steel Hd Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

### 15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm  
Drawer size: 160W x 110H x 410D mm



**\$525**  
PN: HD515

### 18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm  
Drawer Size: 160W x 110H x 410D mm



**\$669**  
PN: HD318

### 30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm  
Drawer size: 160W x 110H x 410D mm



**\$899**  
PN: HD530

## Heavy Duty A-Series Parts Cabinets

**A5**



A5 Drawer Size: 163W x 289D x 69H mm

**36 Drawer Parts Cabinet**

**\$589**

PN: A5336

Size: 586W x 290D x 937H mm

**24 Drawer Parts Cabinet**

**\$459**

PN: A5324

586W x 290D x 640H mm

**A6**



A6 Drawer Size: 143W x 245D x 83H mm

**30 Drawer Parts Cabinet**

**\$535**

PN: A6330H

Size: 533W x 265D x 937H mm

**12 Drawer Parts Cabinet**

**\$299**

PN: A6212H

Size: 362W x 265D x 571H mm

**A7**



**New!**

A7 Drawer Size: 120W x 218D x 69H mm

**48 Drawer Parts Cabinet**

**\$479**

PN: A7448

Size: 586W x 222D x 937H mm

**24 Drawer Parts Cabinet**

**\$310**

PN: A7324

Size: 444W x 222D x 642H mm

**16 Drawer Parts Cabinet**

**\$249**

PN: A7416

Size: 586W x 222D x 350H mm

**A8**



**New!**

A8 Drawer Size: 90W x 218D x 70H mm

**60 Drawer Parts Cabinet**

**\$559**

PN: A8560

Size: 586W x 222D x 937H mm

**32 Drawer Parts Cabinet**

**\$339**

PN: A8432

Size: 466W x 222D x 642H mm

**15 Drawer Parts Cabinet**

**\$239**

PN: A8315

Size: 355W x 222D x 415H mm

**ST2**

ST2 Drawer Size: 120W x 210D x 55H mm

**60 Drawer Parts Cabinet**

**\$649**

PN: ST2460

Size: 586W x 222D x 937H mm



## Office Filers

**10 Drawer A4 Filing Cabinet**

Size: 275W x 340D x 482H mm  
Drawer Size: 230W x 325D x 38H mm

**30 Drawer A4 Filing Cabinet**

Size: 543W x 340D x 738H mm  
Drawer Size: 230W x 325D x 38H mm




**\$259**  
PN: A4110P

**\$499**  
PN: A4230P

## A-Series Drawers & Dividers


**A5 Cabinet Drawer**



**\$17**

PN: A5DRAW


**A6 Cabinet Drawer**



**\$13**

PN: A6DRAW


**A7 Cabinet Drawer**



**\$13**

PN: A7DRAW


**A8 Cabinet Drawer**



**\$12**

PN: A8DRAW

**ST2 Cabinet Drawer**



**\$16**

PN: ST2DRAW

**A-Series Dividers**



**A5 Series** **\$13**

PN: A5DIV

**A8 Series** **\$12**

PN: A8DIV

**A6 Series** **\$13**

PN: A6DIV

**ST2 Series** **\$16**

PN: ST2DIV

**A7 Series** **\$13**

PN: A7DIV

## Heavy Duty A7 Parts Cabinets

Each drawer comes with 2 movable dividers. The front face of each drawer features a window.

**Lockable 48 Drawer Parts Cabinet**

Size: 586W x 270D x 970H mm

**\$799**

PN: A7448D

**Lockable 24 Drawer Parts Cabinet**

Size: 444W x 270D x 677H mm

**\$599**

PN: A7324D

**LOCKABLE DOORS**



## Lockable Display Cabinets

Perfect for the showroom or where lockable storage is required. Features key & combination pin lock, sliding doors for easy access in confined spaces and 2 height adjustable shelves.

Size: 1180W x 400D x 880H mm

**Steel Door Storage Cabinet**

PN: DU118M

**Glass Door Storage Cabinet**

PN: DU118G

Contents of cabinet not included.

**LOCKABLE DOORS**

**\$899 ea**





## Workshop Stools & Creepers

### Workshop Stool

- 100 mm swivel casters, with 2 lockable
  - Centre mounted pull out drawer
  - Metal Frame
- Size: 670L x 330D x 380H mm  
Max. Load: 130 Kg



**PULL OUT DRAWER**

**\$169**  
PN: GWS

### Adjustable Hydraulic Stool

- Adjustable seat height
- 4" swivel wheels (2 lockable)
- Wide HDPE double walled seat
- Bottom Organiser tray
- Metal Frame

Height Range: 450-560 mm  
Size: 540L x 390W x 560H mm  
Max. Load: 150 Kg



**STEEL FRAME →**

**\$239**  
PN: GAHS

### Mechanics Creeper

- Size: 1005 x 470 x 135 mm  
Wheel Size: 75 x 25 mm
- Integrated side trays
  - Made in Taiwan

**STEEL REINFORCED CASTER MOUNTS**



**150 kg Load Rating**

**\$179**  
PN: GCR40

## Workshop Trolleys

### Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm  
Capacity: 130 Kg



**MADE FROM HDPE PLASTIC**

**\$249**  
PN: GT3SP

### Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 mm steel uprights.

Size: 410W x 760D x 885H mm (including handle)



**MAX RATING 150KG**

**\$279**  
PN: GT3S

### Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 mm steel uprights.

Size: 470W x 785D x 825H mm (including handle)



**MAX RATING 150KG**

**\$339**  
PN: GT3SD

### Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 Kg per shelf, max total weight 200 kg per unit.

Size: 500W x 873D x 880H mm (including handle)



**LOAD RATING 200KG**

**\$559**  
PN: CTH5086

## Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

### 8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



**\$35**  
PN: FO308

### 6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



**\$35**  
PN: FO306

### 5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



**\$47**  
PN: FO605

### 4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



**\$62**  
PN: FO604

### Single Sided 46 Bin Pivot Drawer Cart

- Includes  
2 x FO308, 2 x FO306,  
2 x FO605 & 2 x FO604,  
46 bins in all

**\$869**

PN: MSFO4568

### Double Sided 92 Bin Pivot Drawer Cart

- Includes 4 x FO308,  
4 x FO306, 4 x FO605 &  
4 x FO604, 92 bins in all

**\$1299**

PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

**UP TO 92 BINS OF STORAGE!**





## Automotive Screw Kits

### Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



**\$47**

PN: AAK01

### Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



**\$39**

PN: AAK07

### Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



**\$51**

PN: AAK02

### DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



**\$44**

PN: AAK17

### Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



**\$46**

PN: AAK03

### DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



**\$53**

PN: AAK18

### Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



**\$36**

PN: AAK04

### DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



**\$48**

PN: AAK19

## Automotive Electrical Kits

### Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



**\$54**

PN: AAK21

### Mini Plug-in Blade & Ceramic Fuses

70 piece kit includes an assortment of 11 types of 5 AMP, 7.5 AMP, 8 AMP, 10 AMP, 15 AMP, 16 AMP, 20 AMP, 25 AMP & 30 AMP Ceramic and Mini Plug-In Blade Fuses.



**\$50**

PN: AAK27

### Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



**\$54**

PN: AAK22

### Automotive Glass Tube & Blade Fuses

70 piece kit includes an assortment of 14 types of automotive glass tube & maxi-blade fuses.



**\$44**

PN: AAK28

### Open End & Pin Electrical Terminals

105 piece kit includes an assortment of 19 types of open end & pin electrical terminals, in a variety of Blue, Red & Yellow.



**\$54**

PN: AAK23

### Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



**\$37**

PN: AAK33

### Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



**\$39**

PN: AAK24

## Automotive Nut, Bolt & Stud Kits

### Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



**\$38**

PN: AAK06

### Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



**\$72**

PN: AAK25

### Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



**\$40**

PN: AAK10

### Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



**\$64**

PN: AAK26

### Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



**\$76**

PN: AAK11



## Automotive Clip & Split Pin Kits

### Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 MM to (No.14) 6.3 MM Speed Clips and 5 & 6 MM Speed Nuts.



**\$52**  
PN: AAK05

### DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



**\$41**  
PN: AAK20

### DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 MM dia. x 25 MM to 5 MM dia. x 63 MM Split Pins.



**\$41**  
PN: AAK08

### Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



**\$44**  
PN: AAK29

### DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 MM dia. x 32 MM to 5 MM dia. x 50 MM Split Pins.



**\$61**  
PN: AAK09

### External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



**\$44**  
PN: AAK30

## Automotive Grease Nipple Kits

### Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



**\$55**  
PN: AAK15

### Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



**\$93**  
PN: AAK16

## Automotive Washer Kits

### DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



**\$58**  
PN: AAK12

### Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 MM) to M16 (16.1 x 22 x 0.8 MM).



**\$50**  
PN: AAK13

### DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



**\$31**  
PN: AAK14

## Automotive O-Ring Kits

### Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 MM ID x 1.78 MM) to 13/16" ID x 5/32" (20.22 MM ID x 3.53 MM).



**\$44**  
PN: AAK31

### NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 MM ID x 2.0 MM CS (R-01) to 44 MM ID x 4.0 MM CS (R-30).



**\$70**  
PN: AAK32

## Driver Kits

### Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 MM Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Poz Bits, No.1x50 long Poz Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



**\$108**  
PN: HAK39

## Washer Kits

### Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$31**  
PN: HAK06

### Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$34**  
PN: HAK07

## Rivet Kits

### Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



**\$34**  
PN: HAK15

## Penny Washer Kits

### Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



**\$39**  
PN: HAK13

### Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



**\$31**  
PN: HAK16

### Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



**\$31**  
PN: HAK14



## Nut & Bolt Kits

### Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



**\$37**

PN: HAK11

### Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



**\$31**

PN: HAK12

### Nylon Self Locking Nuts

100 piece kit includes an assortment of 8 types of Nylon Self Locking Nuts, ranging from M4, M5, M6, M8, M8, M10, M12 & M16.



**\$31**

PN: HAK37

### Gutter Bolts & Square Pressed Nuts

300 piece kit includes an assortment of M6x12 to M6x60 Gutter Bolts and M6 Square Pressed Nuts.



**\$39**

PN: HAK17

### Cheese Head Machine Nuts & Bolts

500 piece kit includes an assortment of 16 types of cheese head machine screws ranging from M3x10 to M6x40 & M6 nuts.



**\$39**

PN: HAK08

### Countersunk Machine Screws & Nuts

300 piece kit includes an assortment of 10 types of zinc plated phillips & slot drive M4 & M5 hex screws and nuts.



**\$36**

PN: HAK09

### Dome & Wing Nuts

150 piece kit includes an assortment M5, M6, M8 & M10 Dome Nuts and M4, M6, M8 and M10 Wing Nuts.



**\$55**

PN: HAK10

## Self Tapping Screws

### Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$47**

PN: HAK01

### Pan Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan slotted self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$47**

PN: HAK02

### Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$47**

PN: HAK03

### Countersunk Pozi Drive Chipboard Screws

400 piece kit includes an assortment of 8 types of countersunk pozi drive chipboard screws ranging from No. 6 (3.5 mm x 16) to No. 10 (4.8 mm x 40).



**\$31**

PN: HAK22

### Countersunk Pozi Chipboard EAZI Drive Screws

300 piece kit includes an assortment of 8 types of Countersunk pozi chipboard EAZI Drive screws ranging from No. 4 (3 mm x 30) to No. 10 (4.8 mm x 40).



**\$31**

PN: HAK23

## Wall Fasteners

### Expansion Fixing Wall Plugs

200 piece kit includes an assortment of 8 types of expansion fixing wall plugs ranging from 4, 5, 5.5, 6, 7, 8, 10 & 11 mm.



**\$29**

PN: HAK19

### Cable Clips

250 piece kit includes an assortment of 12 types of cable clips ranging from 3 to 14 mm Round Cable Clips and 1.5 to 5 mm Square Cable Clips.



**\$39**

PN: HAK33

### Cup Hooks

60 piece kit includes an assortment of 9 types of cup hooks ranging from 16, 19, 25, 32, 38, & 50 mm Brass Plated and 32, 38 & 50 mm PVC Coated.



**\$36**

PN: HAK34

### L Type Hooks

70 piece kit includes an assortment of 8 types of "L" type hooks ranging from 13, 16, 19, 23, 25, 32, 38 & 50 mm.



**\$34**

PN: HAK35

### Coach Screws & Wall Plugs

100 piece kit includes an assortment of DIN 571 coach screws ranging from M6x30, M6x40, M6x50, M8x50, M6x75, M8x40, M8x60, M10x75 and 10 & 11 mm Wall Plugs.



**\$41**

PN: HAK36

### Spring Toggles & Machine Screws

60 piece kit includes an assortment of M4, M5 & M6 Spring Toggles and M4x50, M4x75, M4x40, M5x50, M5x70, M6x50, M6x60, M6x70 cheese Head Machine Screws.



**\$37**

PN: HAK38

### Anchored Hammer Drive Expansion Nails

100 piece kit includes an assortment of 8 types of expansion hammer drive nail ranging from M6x60, M6x50, M6x80, M8x60, M5x50, M6x40, M5x25 & M5x35.



**\$37**

PN: HAK18

### Countersunk Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of pozi self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$47**

PN: HAK04

### Countersunk Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of slotted self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 19).



**\$42**

PN: HAK05

### Hardened Countersunk Plaster Broad Screws

300 piece kit includes an assortment of plasterboard screws ranging from 16, 25, 32 & 41 mm No.6 3.5 mm Screws and 25, 32, 50 & 75 No.8 4.2 mm Screws.



**\$31**

PN: HAK20

### Brass Plated Wood Screws

300 piece kit includes an assortment of brass plated countersunk flat and round head wood screws ranging from No. 4 (3 mm x 16) to No. 12 (5.5 mm x 50).



**\$55**

PN: HAK31

### Countersunk Wood Screws

200 piece kit includes an assortment of 10 types of countersunk slot drive wood screws ranging from No. 4 (2.9x16 mm) to No. 10 (4.8x30 mm).



**\$39**

PN: HAK40

## Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



**\$8**

PN: GD86110

## Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



**\$15**

PN: GD86060

## Micro 2.6 MM Quick Release Deburrer

Holds all 2.6 mm Ø Deburring Blades. Includes Blade.



**\$21**

PN: GDMC1

## 6 MM Heavy Duty Quick Release Deburrer

Removable cap for blade storage  
6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



**\$35**

PN: GDSRSDMK

## Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

Includes Standard Deburring blades: GDSC10, GDSC15, GDSC20, GDSC30 & GDSC35



**\$52**

PN: GD38325

## Double Deburrer

Deburrs both sides of workpiece at same time  
Perfect for sheet metal finishing  
Finger guard



**REPLACEABLE BLADES**

**\$29**

PN: GDDB

## 24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.



**DEBURR ANYTHING FROM PLASTIC TO STAINLESS STEEL!**

**\$279**

PN: GD88030

## Hex-Drive Ratchet Handle

Quick release locking collar firmly retains driver bit unless collar is depressed  
Ratchet direction collar with clockwise, anticlockwise and locked functions.

Drive: 1/4" Hex



**\$49**

PN: GD46030

## Quick Release Handle with 3.2 MM MC-blades

3.2 mm Standard Quick Release Handle (GDSDSMDK) with Multi-cutting Edge Deburring blades: GDSMC10, GDSMC20, GDSMC101



**\$39**

PN: GD38333

## Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:

3.2 mm Standard Quick Release Handle (GDSDSMDK)  
Standard 3.2 mm Deburring blades:  
2 x GDSC10, 2 x GDSC101,  
2 x GDSC15, 2 x GDSC20,  
1 x GDSC30, 1 x GDSC35



**\$50**

PN: GD88040

## Hex-Drive Pipe Deburring Bits

Quickly deburr internal & external edges of cylindrical work pieces with superior results.  
Can be used with power tools, by hand or with a Hex-Drive Ratchet Handle (PN: GD46030 Above)  
Made from (M2 Grade) HSS



**REVERSIBLE SHANK**

Drill not included.

### Hex-Drive Pipe Deburring Tools

Range: 4-42 MM  
Angle: 60°

**\$185**

PN: GD34265



Range: 4-42 MM  
Angle: 45°

**\$162**

PN: GD34295



### Pipe Deburring Hand Tools

Range: 4-42 MM  
Angle: 60°

**\$170**

PN: GD34260

Range: 4-42 MM  
Angle: 45°

**\$140**

PN: GD34290



### Heavy Duty Hex-Drive Pipe Deburring Bits

Max Speed: 1,800 RPM

OD Range: 16-31 MM  
ID Range: 16-35 MM  
Angle: 45°

**\$96**

PN: GD16319-2F

OD Range: 16-31 MM  
ID Range: 16-35 MM  
Angle: 60°

**\$99**

PN: GD16316-2F

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 45°

**\$125**

PN: GD22429-2F

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 60°

**\$149**

PN: GD22426-2F

OD Range: 40-58 MM  
ID Range: 40-62 MM  
Angle: 45°

**\$185**

PN: GD40589-2F

OD Range: 40-58 MM  
ID Range: 40-62 MM  
Angle: 60°

**\$210**

PN: GD40586-2F

## Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.



Main Beam: 115 mm  
Arm Reach: 75 mm  
Lens Dia.: 60 mm

**\$29**  
PN: GHHM

## Hollow Punch Set

Set includes:  
5, 6, 8, 9, 11 & 13 mm

**\$35**  
PN: YC516



## Gasket Punch Set

14 Piece set includes:  
1/4", 5/16", 3/8", 7/16", 1/2", 5/8",  
3/4", 7/8", 1", 1 1/8", 1-1/4",  
1-3/8" & 1-1/2"

**\$99**  
PN: GGPS



## Precision Screwdriver Set

65 piece set includes:  
**4 mm & 1/4" Driver Handles & Extension Bars**  
**Hex:** 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm  
**Slotted:** 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm  
**Pozidriv:** #0 to #3  
**Phillips:** 000 to 3  
**Square:** 0 to 3 mm  
**Sockets:** 5 to 13 mm  
**Torx®:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40



**65  
PIECE  
SET**

**\$37**  
PN: GXBS1465

## 1/4" Socket Set

• Chrome Vanadium Steel  
Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.  
**Standard Socket sizes:**  
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm  
**Hex Bits:** 3, 4, 5 & 6 mm  
**Phillips Bits:** #1, #2, & #3  
**Pozidriv Bits:** #1, #2 & #3  
**Slotted Bits:** 3, 4 & 6 mm  
**Torx® Bits:** T8, T9, T10 T15, T20, T25, T27, T30, & T40



**40  
PIECE  
SET**

**\$59**  
PN: GXSS1440

## Magnetic Clean-Up Tools

### Magnetic Clean-Up Wand

Capacity: 6.30 Kg  
Length 400 mm  
Weight 0.470 Kg



**\$89**  
PN: MW001

### Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length: 720-1035 mm  
Head width: 377mm



**\$145**  
PN: MB001

### Magnetic Reach Extender

Head size: 96 MM  
Length: 960 MM  
Capacity: 4.5 Kg



**\$110**  
PN: MRE001

**HOT  
PRICE!**

## 3/8" Socket Set

• Chrome Vanadium Steel  
Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.  
**Standard Socket sizes:**  
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm  
**Deep Socket sizes:**  
10, 11, 12, 13, 14, 15, 17 & 19 mm  
**Spark Plug Socket:** 16 & 21 mm



**29  
PIECE  
SET**

**\$75**  
PN: GXSS3829

**HOT  
PRICE!**

## Gear & Bearing Splitting Combination Set

### Small Bearing Separator

Jaw Range: 30-50 mm  
Working Range: 0-135 mm

### Large Bearing Separator

Jaw Range: 50-75 mm  
Working Range: 0-180 mm

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



**\$229**  
PN: GBTK

## Multi-Hydraulic Gear Puller Kit

### Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 mm  
Jaw Range: 75-105 mm

### Gear Puller

Working Range: 25-185 mm

Set includes: Twin & Triple Leg Heads  
Hydraulic Ram (12 Ton capacity)  
Carbon Steel Beam  
200 mm, 150 mm, & 100 mm arms  
85 mm, 35 mm, Spacers,  
25 mm Centre Adapter



**\$579**  
PN: GHPK

## Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a selection of M3 to M6 nutserts

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



**\$129**

PN: GHTJ703A

**INCLUDES NUTSERTS!**

**2-in-1 RIVETS/NUTSERTS**

## Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



**\$239**

PN: GHTH3

**2-in-1 RIVETS/NUTSERTS**

## Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- **Not suitable mass production**

### M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)  
Weight: 1.3 kg

**\$769**

PN: GP400B

### M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)  
Weight: 1.3 kg

**\$789**

PN: GP200B



## Steel & Aluminium Nutserts

4 MM Max. sheet thickness



**PACKS OF 50**

M4 Aluminium PN: NM4RNA	<b>\$33</b>	M4 Steel PN: NM4PNS	<b>\$20</b>
M5 Aluminium PN: NM5RNA	<b>\$41</b>	M5 Steel PN: NM5PNS	<b>\$24</b>
M6 Aluminium PN: NM6RNA	<b>\$44</b>	M6 Steel PN: NM6PNS	<b>\$27</b>
M8 Aluminium PN: NM8RNA	<b>\$49</b>	M8 Steel PN: NM8PNS	<b>\$33</b>
M10 Aluminium PN: NM10RNA	<b>\$59</b>	M10 Steel PN: NM10PNS	<b>\$39</b>
		M12 Steel PN: NM12PNS	<b>\$52</b>

## Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- **Not suitable mass production applications**

Traction Power: 3,640 Ft/lbs  
Stroke: 6 mm  
Weight: 1.55 kg



**\$1100**

PN: KP4258

**KUANI**

## Tapping Wrenches

### Tap Wrench

Range: M4 to M12  
Length: 280 mm



**\$33**

PN: GTHW

### T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle



Range: 5M to 12M  
Length: 120 mm

**\$31**

PN: GTHRW

## Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

**SUPER BRIGHT 880 LUMENS!**



**\$149**

PN: GLED2CIL

## Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

**560 LUMEN LED LAMP**

Lens dia.: 100 mm  
Magnification: 3 Diopter  
Max lens height: 300 mm  
Brightness: 560 Lumen  
Power supply: 240V  
Cord length: 1.3m



**\$99**

PN: ML30

## Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 mm Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.

**900MM REACH!**

**760 LUMENS**



**\$229**

PN: ML60

Magnification: 3 Dioptre  
Lens dia.: 120 mm  
Lamp: 60 x LED  
Power: 240 V

# NICRON®

## LED TORCHES & HEADLAMPS

[nicronlight.com.au](http://nicronlight.com.au)

### TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



### Mini Flashlight

**\$37**

PN: B10

Ingress Rating



Battery

1 x 16340 Li-ion



Brightness: 200 Lm  
Intensity: 2000 Cd

Primary Beam:  
**LOW** (30Lm)  
**MED** (100Lm)  
**HIGH** (200Lm)  
**STROBE**: (200Lm)  
Size: 65x 20mm  
Weight: 45g

- High Capacity Li-ion Rechargeable
- Key Ring

### Mini Key Chain Flashlight

**\$29**

PN: N1

Battery

1 x AAA

Ingress Rating



Brightness: 100 Lm  
Intensity: 144 Cd

Ingress Rating: IPX7  
Size: 62 x 16 mm  
Weight: 15.5  
Battery: 1 x AAA

### Mini Focusable Flashlight

**\$83**

PN: F51

Ingress Rating



Battery

14500 Li-ion

1 x AA



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm  
Intensity: 3800 Cd

Primary Beam:  
**LOW** (100 Lm)  
**MED** (250 Lm)  
**HIGH** (600 Lm)  
Size: 103 x 26 mm  
Weight: 80g


### Focusable Flashlight

**\$110**

PN: F81

Brightness: 1000 Lm  
Intensity: 6500 Cd

Primary Beam:  
**LOW** (50Lm)  
**MED** (150Lm)  
**HIGH** (500Lm)  
**MAX** (1000Lm)  
**STROBE** (1000Lm)  
Size: 170 x 35mm  
Weight: 200g



### Utility Flashlight

**\$60**

PN: WL15



Brightness: 500 Lm  
Intensity: 800 Cd

Primary Beam:  
**LOW** (80Lm)  
**HIGH** (200Lm)  
Flood Light:  
**LOW** (100Lm)  
**MED** (300Lm)  
**HIGH** (500Lm)

Size: 164 x 22 mm  
Weight: 140g



### Utility Flashlight

**\$110**


PN: WL81



Brightness: 1000 Lm  
Intensity: 6000 Cd

Primary Beam:  
**LOW** (80Lm)  
**MED** (500Lm)  
**HIGH** (1000Lm)  
**STROBE**: (1000Lm)  
Flood Light:  
**LOW** (35Lm)  
**HIGH** (250Lm)  
Size: 121 x 27 mm

Weight: 110g



### Long Range Tactical Flashlight

**\$129**


PN: B200



Brightness: 1000 Lm  
Intensity: 72000 Cd

Primary Beam:  
**LOW** (100Lm)  
**MED** (300Lm)  
**HIGH** (1000Lm)  
**STROBE**: (1000Lm)  
Size: 235 x 59 mm  
Weight: 550g

**HOT PRICE!** **536m RANGE!**



### 2 in 1 Utility Work Lamp

**\$110**

PN: WL83




- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm  
Intensity: 225 Cd

Primary Beam:  
**LOW** (200Lm)  
**HIGH** (500Lm)  
Spot Light:  
**LOW** (200Lm)

Size: 200 x 60 x 30 mm  
Weight: 285g



### 2 in 1 Utility Work Lamp

**\$99**


PN: WL85



- Foldout stand with integrated hook

Primary Beam:  
**LOW** (12 Lm)  
**MED** (160 Lm)  
**HIGH** (450 Lm)  
Spot Light:  
**LOW** (60 Lm)  
**HIGH** (280 Lm)

Size: 123 x 55 x 32 mm  
Weight: 180 g



### Extreme Tactical Flashlight

**\$388**

PN: B400




- High Capacity Li-ion Rechargeable
- 3.5mm 12V Charge Port
- 4 CREE LED Array

Brightness: 12000 Lm  
Intensity: 30000 Cd

Primary Beam:  
**LOW** (500Lm)  
**MED** (1000Lm)  
**HIGH** (3000Lm)  
**MAX** (6000Lm)  
**EXTREME** (12000Lm)  
**STROBE**: (6000Lm)  
Size: 152 x 64 mm  
Weight: 720g

**FREE 1.8m TRIPOD!**

While stocks last.







## Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81-83-85



## Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



## Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



## Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



## Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

## TWIST Pen Light



- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator


**\$94**

PN: B73R

Brightness: 150 Lm  
Intensity: 650 Cd

Primary Beam:  
LOW (60Lm)  
HIGH (150Lm)

Size: 152 x 18 x 15 mm  
Weight: 75g



## Mini Twin-Beam Headlamp



Brightness: 700 Lm  
Intensity: 4000 Cd

**\$83**

PN: H11

- High-quality anodised aluminium body
- Primary Beam: LOW (50Lm)  
MED (250Lm)  
HIGH (500Lm)
- Flood Light: LOW (35Lm)  
HIGH (100Lm)  
Weight: 59g



## Mini Rechargeable Headlamp



Brightness: 500 Lm  
Intensity: 160 Cd

**\$85**

PN: H17

- Anodised aluminium body
  - Angle head vertically up to 180°
  - USB-C Charge Port
- LOW (30 Lm)  
MED (150 Lm)  
HIGH (500 Lm)
- Weight: 42g



## Mini TWIST Light




- Includes USB rechargeable battery
- Pen Clip

**\$94 ea**

Brightness: 700 Lm  
Intensity: 4000 Cd

Primary Beam:  
LOW (100Lm)  
MED (250Lm)  
HIGH (700Lm)  
STROBE: (700Lm)  
Size: 112 x 21 x 18 mm  
Weight: 85g



PN: B74RED PN: B74BLUE

## Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery

Weight: 69g  
Primary Beam: LOW (50Lm)  
MED (250Lm)  
HIGH (500Lm)  
MAX (1000Lm)


Flood Light: LOW (50Lm)  
MED (200Lm)  
HIGH (400Lm)  
MAX (800Lm)



**\$125**

PN: H35

Brightness: 1600 Lm  
Intensity: 4000 Cd



## PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 950 Lm  
Intensity: 10000 Cd

Primary Beam:  
LOW (10Lm)  
MED (70Lm)  
HIGH (300Lm)  
MAX (950Lm)  
STROBE (950Lm)

Size: 160 x 28 mm  
Weight: 220g

**\$94**

PN: B71pro



## UV PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 1000 Lm  
Intensity: 3000 Cd

Primary Beam:  
LOW (100Lm)  
MED (500Lm)  
HIGH (1000Lm)  
UV Light:  
HIGH (395nm)

Size: 160 x 28 mm  
Weight: 220g

**\$110**

PN: B75



## Camo TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 950 Lm  
Intensity: 10000 Cd

Primary Beam:  
LOW (10Lm)  
MED (70Lm)  
HIGH (300Lm)  
MAX (950Lm)  
STROBE (950Lm)

Size: 160 x 28 mm  
Weight: 220g

**\$110**

PN: B70PLUS



## Blowguns

### Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 3/8" Nitto fitting  
Nozzle size: 4.5 x 70 mm



**ALL METAL BODY!**

**\$26**

PN: GPA9025

### Pocket Blow Gun

- Integrated metal inlet thread
- Rubber Tip

Length: 115 mm  
Inlet: JIS Fitting  
Material: Aluminium



**\$15**

PN: PBG-N

### 4" Rubber Tipped Blowgun

- Integrated metal inlet thread
- Rubber Tip

Length: 110 mm  
Material: POM/Steel



**\$19**

PN: GP1562

### 3/8" High Flow Blow Gun Kit

Kit includes:  
High Flow Duster,  
Easily Adjustable High  
Flow Nozzle, Heavy Duty High  
Flow Nozzle & Standard Nozzle.

**\$65**

PN: GHF60AS



**ALL METAL BODY!**

### Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose

**\$62**

PN: GPB90K



### Extendable Blow Gun

Length: 270 to 390 mm  
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

**\$34**

PN: GP1562E

### 1 Metre Blow Gun

Overall Length: 1050 mm  
Inlet: 1/4" metal  
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



**\$75**

PN: GP1561

**ALL METAL BODY!**

### Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.  
**SOLD SEPARATELY**  
Size: 15.5 dia. x 40 mm  
Nozzles: 12 x 2mm



**\$23**

PN: GP1561FN

## Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



**\$119**

PN: GPA0310KB

## Tyre Inflaters

### Dual Tyre Chuck

Inlet: JIS standard fitting  
Output: Schrader Valve



**\$19**

PN: GPA051

### Flexible Tyre Chuck

Inlet: JIS standard fitting  
Output: Schrader Valve



**\$21**

PN: GPATC-2

### 0-60psi Tyre Pressure Gauge

Range: 0-60 psi.  
Metering: Analogue  
Units: PSI & Bar  
Output: Schrader valve



**\$40**

PN: GPATPG60

### Dual Access Tyre Chuck

Inlet: 1/4" Female  
Output: Schrader Valve x 2  
Length: 220 mm



**\$34**

PN: GPA1570

### Dual Access Tyre Water Chuck

Inlet: 15 mm male garden hose fitting  
Output: Schrader Valve x 2  
Length: 220 mm



**\$37**

PN: GPA1570W

### Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



**\$85**

PN: GPA016

Range: 0-220 PSI  
Metering: Analog  
Units: PSI, Bar, KPA

### Digital Tyre Inflator

Measuring range: 5-60 PSI  
Hose Length: 30 cm  
Units: PSI, Bar, kPa



**\$149**

PN: GP1558-4

### Deluxe Tyre Inflator

Range: 0-160 PSI  
Units: PSI, KPA



**\$142**

PN: GPA6200

## Air Body Saw

Free Speed: 10,000 opm  
Capacity: 3 mm mild steel  
Stroke length 9.5 mm



**\$249**

PN: GP9301

## Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



**\$29 ea**

## Sandblasters

### All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM  
Capacity: 266cc

### Sand Blasting Kit

Includes 3 extra nozzles,  
hose and tube.  
Siphon feed  
Weight: 0.9 kg



**\$69**

PN: GPASB100

**\$55**

PN: GP909

## Heavy Duty Angle Grinders



### 4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

**\$329**

PN: GP8102

### 5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

**\$367**

PN: GP31003

## 7" Sander



Free Speed: 4,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

**\$339**

PN: GP1206A

## Punch & Flange Tool

Capacity: 1.2 mm Mild Steel  
Flange Capacity: 14 mm  
Hole Punch Diameter: 5 mm  
Weight : 1.1kg

**\$249**

PN: GP9201



## Cut Off Tools

### 3" Cut Off Grinder



Disc Size: 3" (75 mm)  
Free Speed: 22,000 RPM  
Weight: 0.8 kg

**\$129**

PN: GP3201

### Air Nibbler

Cutting Capacity:  
1.4 mm steel  
1.6 mm aluminium  
Free Speed: 2900 SPM  
Weight: 0.9kg

**GREAT FOR CUTTING CURVES.**



**\$219**

PN: GP9101

## Surface Preparation

### 10 MM Belt Sander

Belt Size: 10 x 330 mm

**\$269**

PN: GP1264A

### 20 MM Belt Sander

Belt Size: 20 x 520 mm

**\$419**

PN: GP1265A



### 5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads  
Spindle Size: 3/8 x 24 UNF  
Free Speed: 16,000 RPM  
Weight: 1.2 Kg

**\$159**

PN: GP1204R



### 6" Dual Action Sander

Pad Size: 6" (150 mm) Velcro  
Free Speed: 9,000 RPM  
Orbit Diameter: 7 mm  
Weight: 2.0 kg

**\$179**

PN: GP1205N



### Straight Line Sander

- Takes 70 x 445 mm clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm  
Free Speed: 2,500 RPM  
Weight: 2.5 kg

**\$239**

PN: GP1203



## Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:  
five 105 mm (4 inch) stripping wheels,  
Spare disc hub & carry case.



### Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

**\$699**

PN: GP2001A

**\$49 ea**

## Die Grinders

### 1/4" Medium Die Grinder

Free Speed: 22,000 RPM  
Weight: 0.675 Kg

**\$89**

PN: GP2202



### 1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM  
Weight: 0.833 Kg

**\$119**

PN: GP2202R



### 1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones

Free Speed:  
22,000 RPM

**\$119**

PN: GP2202K



### 1/4" Angle Die Grinder

Free Speed: 18,000 RPM  
Weight: 0.833 Kg

**\$188**

PN: GP2203R



## Reversible Drills

### Reversible 3/8" Drill

Free Speed: 1,800 RPM  
Chuck Size: 10 mm  
Weight: 1.36 Kg

**\$179**

PN: GP41013



### Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM  
Chuck Size: 10 mm  
Weight: 1.36 Kg

**\$199**

PN: GP41013K



### 1/2" Reversible Drill

Free Speed: 800 RPM  
Drilling Capacity: 13 mm  
Weight: 1.76kg

**\$249**

PN: GP4204



### 3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM  
Capacity: 10 mm  
Weight: 1.02kg

**\$289**

PN: GP4209



## Impact Wrenches

### 1/2" Impact Wrench

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 mm
- Single Hammer

Max Torque: 260 ftlb  
Bolt Capacity: 16 mm  
Free Speed: 7,000 RPM  
Weight: 2.0 kg

**\$189**

PN: GP504K



**\$299**

PN: GP260T

### 1/2" Impact Wrench

Max Torque: 500 Ft/lbs  
Nett Weight: 2.0 Kg

**\$679**

PN: GP3125

### 3/4" Impact Wrench

Max Torque: 1100 Ft/lbs  
Nett Weight: 3.48 Kg



## 7" Polisher

Free Speed: 2,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

**\$339**

PN: GP1206P



## Air-Hydraulic Riveters

### 3/16" Automotive Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"  
Traction Power: 1950 lbs  
Weight: 1.5 kg

**\$299**

PN: GP1121D



### 3/16" Industrial Rivet Gun

Rivet Capacity:  
1/8, 5/32 & 3/16"  
Traction Power:  
1980 lbs  
Weight: 1.45 Kg

**\$389**

PN: GP6302



### 9/32" Industrial Rivet Gun

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"  
Traction Power: 3,120 lbs  
Weight: 3.4 Kg

**\$759**

PN: GP6304



## Heavy Duty Ratchet Wrenches


- Front exhaust

Max Torque: 75 ft/lbs  
Free Speed: 200 RPM  
Weight: 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

**\$189 ea**



**SUITABLE FOR STAINLESS RIVETS!**

## Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

**206  
PIECE  
SET**



**\$78**

PN: RTK206

## Air & Manual Grease Gun

- Takes standard 450cc cartridge

Kit includes one cannister, manual & pneumatic heads



**\$149**

PN: GP1081D

## 1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM  
Includes 10 grinding stones



**\$229**

PN: GP2204K

## Hammering Tools

### Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm  
Impact Rate: 4,600 BPM  
Overall length: 420 mm  
Weight: 2.8 Kg



**\$369**

PN: GP201

### Straight Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM  
Overall length : 460 mm  
Piston Stroke : 38 mm  
Weight : 2.1 Kg



**\$459**

PN: GP268K

## Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread  
Hose Length: 1.43 m  
Weight: 0.40 Kg



**\$299**

PN: GP110

### Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.  
Free Speed: 3,000 BPM  
Stroke Length: 19.05 mm  
Shank Size: 10.2 mm  
Weight: 1.70 Kg



**\$129**

PN: GP102KD

### Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM  
Shank Size : 10.2 mm (round)  
Stroke Length : 92 mm  
Weight : 2.05 Kg



**\$169**

PN: GP112K

## Air Caulking Gun



• Aluminium body  
Pressure Range: 45-90 PSI  
Cartridge Size: 310 CC  
Weight: 1.3 Kg

**\$89**

PN: GP203

### Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



**\$18**

PN: GPA70X2

### Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



**\$49**

PN: GPA2311

### 38 MM Flattening Hammer



**\$55**

PN: HAC-100

### Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



**\$99**

PN: GP60012

### 7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



**\$49**

PN: GPA57

## Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



**\$56**

PN: GPA1565

## Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc  
Length: 410 mm



**\$98**

PN: GPA034

## 1/2" Twin Hammer Impact Wrench

- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM  
Max Torque:  
685 Ft/lbs (928 Nm)  
Weight: 1.98kg



### SOCKET SET COMBO!

Includes 13 Piece Chro-Moly impact socket set valued at \$129.

Metric PN: BIT260M1KM  
Imperial PN: BIT260M1KI

**\$399 ea**

## 1/4" Die Grinder

Free Speed: 20,000 RPM  
Length: 165 mm  
Weight : 0.55kg



**\$183**  
PN: BG210R

## 1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM  
Output: 0.45 hp  
Weight : 0.75 kg



**\$225**  
PN: BG230RA1

## 1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM  
Length: 183 mm  
Weight: 0.8 Kg



**\$199**  
PN: BG220RA1

## Extended 1/4" Die Grinder

Free Speed: 21,000 RPM  
Length: 280 mm  
Weight: 0.80 kg



**\$199**  
PN: BG215RA1

## 2" Angle Grinder

Free Speed: 15,000rpm  
Output : 0.45 hp  
Weight: 0.8 Kg



**\$199**  
PN: BG222RA1

2" Grinder Discs  
Thickness: 4 mm  
Max Speed: 23,500 RPM



**\$12**  
PN: 3510232

## 6" Random Orbital Sander

Orbit Diameter: 5 mm  
Spindle: 5/16"x24 UNF  
Free Speed: 12,000 RPM  
Weight: 0.99 kg



**\$299**  
PN: BOS156A2

## 6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm  
Free Speed: 12,000 RPM  
Spindle: 5/16 x 24 UNF  
Weight: 0.99 kg



**\$325**  
PN: BOS156SA2

## 8" Geared Sanders

Orbit Diameter: 5 mm  
Pad mount: 5 hole  
Free Speed: 900 RPM  
Weight: 1.88 Kg



Standard  
**\$560**  
PN: BOS258GR-D1

Dust Free  
**\$599**  
PN: BOS258GRC-D1

## 1/2" Reversible Keyless Drill

Free speed: 800 RPM  
Weight: 1.95 kg



**\$275**  
PN: BDR208KLA1

## Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm  
Chisel shank: 10.2 mm  
Weight: 1.73 kg

**\$275**  
PN: BHA67A1



## 3" Cut Off Tool



Free Speed: 21,000 RPM  
Length: 188 mm  
Weight: 0.8 Kg

Cutting Disc not included.  
**\$142**  
PN: BCTA1

## 3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm  
Speed Rated to  
25,000 RPM



**\$25**  
PN: CO007K

## Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml  
Bottle

**\$15**  
PN: BO250

1 Litre  
Bottle

**\$24**  
PN: BO1000



## Countersink & Nail Remover

Pin Dia.: 4.8 mm  
Nail Dia.: 2-4 mm  
Weight: 0.80 Kg

**\$346**  
PN: BPULLER



**GREAT FOR  
TIMBER FRAME  
DEMOLITION!**

**REMOVE  
ASBESTOS SHEETS  
IN ONE PIECE!**

## Medium Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)  
Nail Length: 19-50 mm  
Capacity: 100 brads  
Weight: 1.54 Kg



**\$315**  
PN: B1650LA1

## 80 Series Stapler

Staple Crown: 12.8 mm (80 Series)  
Staple Length: 6-16 mm  
Capacity: 100 Staples  
Weight: 0.90 Kg



**\$199**  
PN: BN8016E

## 50 MM C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)  
Nail Length: 15-50 mm  
Capacity: 100 brads  
Weight: 1.25 Kg



**\$265**  
PN: B1850A1

## C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)  
Nail Length: 10-32 mm  
Capacity: 100 brads  
Weight: 0.68 Kg



**\$199**  
PN: B1832PA2

## 97 Series Stapler

Staple Crown: 4.5 mm (97 Series)  
Staple Length: 10-25 mm  
Capacity: 142 staples  
Weight: 1.2Kg



**\$244**  
PN: BS9725B1

## Heavy Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)  
Nail Length: 19-50 mm  
Capacity: 100 nails  
Weight: 1.9 Kg



**\$389**  
PN: B1650B1

## T-Nailers

Nail Length: 18-64 mm  
Capacity: 80 nails  
Weight: 2.55 Kg

2.2 mm Nail Shank PN: BT2264A1

2.5 mm Nail Shank PN: BT2564A1

**\$499 ea**



## 34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank: 1.8 mm (15 gauge)  
Nail Length: 25-64 mm  
Capacity: 100 Nails  
Weight: 1.95kg



**\$397**  
PN: BA3464A1

## Heavy Duty Coil Nailer

Shank: 2.03-2.8 mm  
Nail Length: 32-65 mm  
Capacity: 200-400 nails  
Weight: 2.3 Kg



0° Angle  
**\$699**  
PN: BC2865F1

15° Angle  
**\$699**  
PN: BC2865D1

## 90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 mm  
Nail Length: 50-90 mm  
Capacity: 90 nails  
Weight: 3.50 Kg



**\$591**  
PN: BA3490F1

## Two Speed Pistol Grip Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM  
Weight: 0.45 Kg



**\$199**  
PN: KP6712

## 3" Orbital Pistol Grip Sander

- Side mounted speed regulator

Free Speed: 15,000 RPM  
Weight: 0.58 Kg



**\$249**  
PN: KP6628

## Two Speed Air Sander

- Rotary or Random orbit modes
- Side mounted speed regulator

Hi Free Speed: 6000 RPM  
Low Free Speed: 3000 RPM  
Orbital Diameter: 1.5 mm  
Weight: 0.58 Kg



**\$268**  
PN: KP6635

## 1/2" Compact Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg



**97 MM Head**

**\$356**  
PN: KP1479

## 1/2" Impact Wrench

Free Speed: 9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 Kg



**\$373**  
PN: KP1488

**Max Torque 1,000 Ft/lbs**

## 1" Super Duty Impact Wrench

Free Speed: 5,000 RPM  
Max. Torque: 1,800 Ft/lbs  
Weight: 7.10 Kg



**\$1399**  
PN: KP1838A-P

## 1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM Length: 325 mm  
Max. Torque: 1,600 Ft/lbs Weight: 5.8 Kg  
Air Inlet: 1/2"



**\$1299**  
PN: KP1835

## 3/4" Impact Wrench

Free Speed: 6,500 RPM  
Max Torque: 750 Ft/lbs  
Nett Weight: 4.55 Kg



**\$692**  
PN: KP1023

**6" Extended Anvils Available.**

## 3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM  
Max Torque: 1100 Ft/LBS  
Nett Weight: 5.6 Kg



**\$999**  
PN: KP1030

## 1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 mm  
Air Inlet: 1/2"  
Weight: 15.55 Kg



**2,500 Ft/lbs**

**\$2499**  
PN: KP1045

**1.5" Variant PN: KP1050 \$2899**

## Compact Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 290 mm  
12 Needles Ø3 x 125 mm



**\$279**  
PN: KP4714

## Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
19 Needles Ø3 x 180 mm



**\$399**  
PN: KP4722P

## Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust

**Includes 2 Chisels**



Stroke: 102 mm  
Impact Rate: 1500 BPM  
Length: 350 mm  
Weight: 9 Kg

**\$899**  
PN: KP4735S3H

## Pittsburgh Air Hammer

• 360° Adjustable Anvil Guide  
Impact Rate: 4,200 RPM  
Stroke: 50 mm  
Weight: 2.20 Kg



**\$289**  
PN: KP4711PH

## Through Ratchet Wrench

- Included socket sizes: 8, 10, 12, 13, & 14 mm  
5/16, 3/8, 7/16, 1/2 and 9/16"  
1/4" & 3/8" anvils

**Includes 10 Sockets**



Free Speed: 450 RPM  
Max. Torque: 30 Ft/lbs  
Weight: 0.60 Kg

**\$367**  
PN: KP2219

## Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages  
400, 500 & 600 ml sizes.  
Air pressure: 45-90 PSI  
Length: 550 mm  
Weight: 0.9 Kg



**\$279**  
PN: KP4613



## SG420 Gravity Feed Air Brush



**\$140**  
PN: SG420A

Nozzle: 0.2 MM  
Working Pressure: 14-50 PSI  
Fluid Capacity: 7 cc  
Weight: 280 g

## KH818 Gravity Feed Spray Guns



**\$267 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 600 cc  
Weight: 280 g

**1.3 MM Nozzle PN: K818M13**  
**1.4 MM Nozzle PN: K818M14**  
**1.8 MM Nozzle PN: K818M18**  
**2.5 MM Nozzle PN: K818M25**

## KH818 HVLP Gravity Feed Spray Guns



**\$294 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 600 cc  
Weight: 514 g

**1.3 MM Nozzle PN: KH818M13**  
**1.4 MM Nozzle PN: KH818M14**  
**1.8 MM Nozzle PN: KH818M18**

## K818 Suction Feed Spray Guns



**\$273 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

**1.3 MM Nozzle PN: K818S13**  
**1.8 MM Nozzle PN: K818S18**  
**2.0 MM Nozzle PN: K818S20**  
**2.5 MM Nozzle PN: K818S25**

## KH818 HVLP Suction Feed Spray Guns



**\$308**  
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g  
Nozzle: 1.8 MM S-Steel

## K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI  
Fluid Capacity: 125 cc  
Weight: 280 g

**0.8 MM Nozzle**

**1.2 MM Nozzle**

**\$204**  
PN: K357M08

**\$232**  
PN: K357M12

## K818 Pressure Feed Spray Gun Systems



### 2 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**2 Litre Pressure Feed Tank**  
Tank dimensions:  
130L MM x 130W MM x 445H MM  
Capacity: 2 Litre  
Max. pressure: 60 PSI  
Weight total: 2.15 Kg

**1.2 MM Nozzle PN: PW2LTRK12**  
**1.5 MM Nozzle PN: PW2LTRK15**  
**1.8 MM Nozzle PN: PW2LTRK18**  
**2.0 MM Nozzle PN: PW2LTRK20**  
**2.5 MM Nozzle PN: PW2LTRK25**

**\$504 ea**

### 10 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**10 Litre Pressure Feed Tank**  
Tank dimensions:  
315L MM x 315W MM x 485H MM  
Capacity: 10 Litre  
Max. pressure: 60 PSI  
Weight total: 10.1 Kg

**1.2 MM Nozzle PN: PW10LTRK12**  
**1.5 MM Nozzle PN: PW10LTRK15**  
**1.8 MM Nozzle PN: PW10LTRK18**  
**2.0 MM Nozzle PN: PW10LTRK20**  
**2.5 MM Nozzle PN: PW10LTRK25**

**\$649 ea**

### 20 Litre Pressure Feed Spray Tank Systems

- Features:
- 10 meter hose
  - Stainless Steel Liner
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Manual Agitation

**K818 Pressure Feed 20 Litre Pressure Feed Tank**

Tank dimensions:  
400L MM x 400W MM x 780H MM  
Capacity: 20 Litre  
Max. pressure: 60 PSI  
Weight total: 26 Kg

**1.2 MM Nozzle PN: PW20LTRK12**  
**1.5 MM Nozzle PN: PW20LTRK15**  
**1.8 MM Nozzle PN: PW20LTRK18**  
**2.0 MM Nozzle PN: PW20LTRK20**  
**2.5 MM Nozzle PN: PW20LTRK25**

**\$1,441 ea**

**Hagga 355**  
Commercial Sweeper

Performance: 1600 m<sup>2</sup>/h  
Cleaning Width: 550 mm  
Capacity: 20 Liters  
Weight: 7.2 kg

**\$812**  
PN: HG355

**WHILE STOCKS LAST!**

**3 BRUSH SYSTEM**



**Hagga 477**  
Commercial Sweeper

- Stores vertically in most closets (1550H x 780W x 300mm)

Performance: 3,000 m<sup>2</sup>/h  
Cleaning Width: 770 mm  
Capacity: 50 Liters  
Weight: 15 kg

**FITS IN MOST CLOSETS**

**\$1,523**  
PN: HG477

**3 BRUSH SYSTEM**



**Hagga 497**  
Commercial Sweeper

Performance: 3,600 m<sup>2</sup>/hr  
Cleaning Width: 970 mm  
Capacity 50 litres.  
Weight: 15.7 kg

**\$1,875**  
PN: HG497

**3 BRUSH SYSTEM**



**Porta**



**90° Keyless Drill Attachment**

Chuck Capacity: 1.5-10 mm  
Max. speed: 2,100 RPM  
Size: 147 x 100 mm  
Drive: 9 mm Hex  
Weight: 490 g



**\$185**

PN: PORRADACL

**13 mm Keyless Drill Chucks**

Capacity: 1.5-13 mm  
3/8" x 24 PN: PORTS13F38R  
1/2" x 20 PN: PORTS13F12R

**\$133 ea**



**13 mm Keyed Drill Chucks**

Capacity: 1.5-13 mm  
Body Dia.: 43mm  
Chuck Key: KS2



JT6 PN: PORA13J6  
B16 PN: PORA13B16

**\$85 ea**

**16 mm Keyed Drill Chucks**

Capacity: 1-16 mm  
Outer diameter: 56 mm  
Key Type: T7

JT6 PN: PORAP16J6  
B16 PN: PORAP16B16  
B18 PN: PORAP16B18

**\$123 ea**

**20 mm Keyed Drill Chucks**

Capacity: 5-20 mm  
Outer diameter: 64 mm  
Key Type: PORKS4B

**\$222**  
PN: PORAP20J3

**Keyless Drill Chucks**

- Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm  
Mount: JT6

**\$144**  
PN: POR37J6

Capacity: 3-16 mm  
Mount: JT6

**\$164**  
PN: POR40J6



**Ejecting Drift**

- Hardened and Black Oxide finish.



MT1/MT2 PN: PORDR12 **\$20**  
MT2/MT3 PN: PORDR23 **\$20**  
MT3/MT4 PN: PORDR34 **\$23**  
MT4/MT5 PN: PORDR45 **\$32**

**FORCE PNEUMATIC**

**3/16" Medium Duty Riveter**

- Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 1045 Kg  
Stroke: 16 mm  
Weight: 1.56 kg



Includes an Assortment of Aluminium Rivets & Spares

**\$260**  
PN: FP4821AK

**3/16" Compact Riveter with Vacuum Extraction**

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 908 Kg  
Stroke: 15 mm  
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

**\$840**  
PN: FP4032CVK

**3/16" Heavy Duty Composite Riveter**

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 908 Kg  
Stroke: 23.5 mm  
Weight: 1.55 Kg

**1/4" Riveter with Vacuum Extraction**

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")  
Traction power: 1645 Kg  
Stroke: 15 mm  
Weight: 1.8 Kg

**\$685**  
PN: FP4831C

**\$725**  
PN: FP6431CVK

**5/16" Heavy Duty Composite Riveter**

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"  
Traction power: 1723 Kg  
Stroke: 22.5 mm  
Weight: 1.8 kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

**\$1250**  
PN: FP51631CVK

## Regulators



### 3/4" Regulator

Max Press.: 150 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM

**\$49**

PN: THBR202

### 1/2" Regulator

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 105.94 CFM

**\$59**

PN: THBR804

### 3/4" Regulator

Max Press.: 250 PSI  
Output Press.: 7-225 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM

**\$159**

PN: THBR906

### 1" Regulator

Max Press.: 250 PSI  
Output Press.: 7-225 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM

**\$159**

PN: THBR908

## In-line Components

### 1/4" In-line Water Separator

1/4" NPT Female to Male



**\$33**

PN: GPA1512

### 1/4" In-line Lubricator

1/4" NPT Female to Male  
Capacity: 15 mL



**\$28**

PN: GPA1025

## 1/4" Mini Filter Regulator

Max Press.: 280 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Filter Element: 5 µm

**\$81**

PN: THBFR212



## 1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Oil Capacity: 30 mL  
Filter Element: 5 µm

**SUPER COMPACT!**  
140W x 135H mm



**\$83**

PN: THBC202

## Filter Regulators

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Drain Capacity: 80 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFR804



**\$69 ea**

## 3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM  
Drain Capacity: 300 mL

PN: THBFR926A

## 1" Hi-Flow Filter Regulator

Max Press.: 250 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM  
Drain Capacity: 300 mL

PN: THBFR928A



**AUTO-DRAIN FUNCTION**

**\$295 ea**

## Filter Regulator + Lubricators

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Oil Capacity: 125 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFLR804



**\$125 ea**

## Filters

### 1/2" Filter

Port Size: 1/2" NPT  
Max Press.: 215 PSI  
Max Flow: 105.94 CFM



**\$65**

PN: THBF804

### 1/2" Auto Drain Filter

Port Size: 1/2" NPT  
Max Press.: 225 PSI



**\$93**

PN: THBD704A

## Lubricators

Max Press.: 215 PSI  
Oil Capacity: 125 mL

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBL804



**\$69 ea**

## Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification

**\$31**

PN: COMPOIL1



## 20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

**\$289**

PN: GPHR1220



## Swivel Connectors

Male thread to Japanese Style Plug Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

**\$19 ea**



## In-line Regulators

1/4" Air Flow Regulator

**\$20**

PN: GPA1010



1/4" Air Flow Regulator with Male plug

**\$20**

PN: GPA1011



## 20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

Hose OD: 10 mm

**\$299**

PN: GPHR1020



## In-Line Components

2 Way Cluster Quick Coupler



**\$34**

PN: GPA1513

3 Way Cluster Quick Coupler



**\$41**

PN: GPA1514

2 Way In-line Quick Coupler



**\$34**

PN: GPA1515

3 Way In-line Quick Coupler



**\$41**

PN: GPA1516

4 Way In-line Quick Coupler



**\$46**

PN: GPA1517

## Bare Air line Manifolds

2 Way Bare Cluster Manifold

Inlet: 1/4" female NPT  
1/2" Male NPT  
Outlet: 2 x 1/4" Int. NPT



**\$19**

PN: GPAYA2

3 Way Bare Cluster Manifold

Inlet: 1/4" female NPT  
1/2" Male NPT  
Outlet: 3 x 1/4" Int. NPT



**\$21**

PN: GPAYA3

2 Way In-line Bare Manifold

**\$19**

PN: GPATA2

3 Way In-line Bare Manifold

**\$20**

PN: GPATA3

4 Way In-line Bare Manifold

**\$21**

PN: GPATA4



## One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit PN: AHPACK

**\$30**

12mm Kit PN: AHPACK12

**\$39**



## Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

**\$12**

PN: SI250

1 Litre

**\$26**

PN: SI1000

5 Litre

**\$94**

PN: SI5000

20 Litre

**\$288**

PN: SI20LT

## Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

**\$52**

PN: AH1020

30m Roll

**\$89**

PN: AH1030

100m Roll

**\$259**

PN: AH10100

12 MM Bare Air Hoses

20m Roll

**\$89**

PN: AH1220

30m Roll

**\$129**

PN: AH1230

100m Roll

**\$398**

PN: AH12100

## One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre PN: GPH1003LBHL **\$54**

5 Metre PN: GPH1006LBHL **\$68**

6 Metre PN: GPH1008LBHL **\$74**

8 Metre PN: GPH1010LBHL **\$88**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre PN: GPH1206LBHL **\$74**

6 Metre PN: GPH1208LBHL **\$88**

8 Metre PN: GPH1210LBHL **\$92**

10 Metre PN: GPH1212LBHL **\$99**

- One-Touch couplings
- Made from kink resistant polyurethane

## One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre PN: AH1010F **\$49**

20 Metre PN: AH1020F **\$79**

30 Metre PN: AH1030F **\$99**

12 MM Fitted Air Hoses

12 mm ID

20 Metre PN: AH1220F **\$110**

30 Metre PN: AH1230F **\$149**



Made in Australia

## Impact Univ. Joints



**3/8" Drive Universal Joint** **\$26**  
PN: GX33U  
Overall Length 50 mm

**1/2" Drive Universal Joint** **\$28**  
PN: GX12U  
Overall Length 63 mm

**3/4" Drive Universal Joint** **\$54**  
PN: GX34U  
Overall Length 90 mm

Molybdenum Steel CR-MO.

## 5 Piece Square Drive Adapter Sets

### Standard 5 Piece Adapter Set

- Chrome Vanadium
- 1/4" Female to 3/8" Male
- 1/2" Female to 3/8" Male
- 3/8" Female to 1/4" Male
- 1/2" Female to 3/4" Male
- 3/8" Female to 1/2" Male

**\$29**  
PN: GX3AS



### 5 Piece Impact Adapter Set

- Chrome Vanadium
- 1/4" Female to 3/8" Male
- 1/2" Female to 3/8" Male
- 3/8" Female to 1/4" Male
- 1/2" Female to 3/4" Male
- 3/8" Female to 1/2" Male

**\$39**  
PN: GX1AS



## Wobble Impacting Bar Sets

Made from Chrome Molybdenum Steel CR-MO.



### 1/4" Wobble Extension Bar 5 Piece Set

Kit includes:  
3", 6", 10" & 12" bars

**\$54**  
PN: GXWEBS14

### 3/8" Wobble Extension Bar 4 Piece Set

Kit includes:  
3", 6", 10" & 18" bars

**\$78**  
PN: GXWEBS38

### 1/2" Wobble Extension Bar 4 Piece Set

Kit includes:  
3", 5", 10" & 18" bars

**\$90**  
PN: GXWEBS12

## Socket & Extension Bar Sets

### 1/2" Thin Wall Sockets & Torque Extension Bar Set

- Chrome Molybdenum
- Teflon sleeved

Sizes:  
17,19, 21 mm & 3/16"  
Torque Bars sizes:  
65, 80, 100 & 120 Ft/lbs

**\$209**  
PN: GPA1596



### 1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17,19 & 21 mm

**\$57**  
PN: GPA1594



## Socket Sets

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

### 3/8" DRIVE SOCKET SETS

#### 3/8" 8 Piece Metric

PN: GX838SSM  
Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

#### 3/8" 8 Piece Imperial

PN: GX838SSI  
Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



**HOT PRICE!** **\$49 ea**

### 1/2" DRIVE SOCKET SETS

#### 1/2" 13 Piece Metric

PN: GX1312SSM  
Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

#### 1/2" 13 Piece Imperial

PN: GX1312SSI  
Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



**HOT PRICE!** **\$129 ea**

### 3/4" DRIVE SOCKET SETS

#### 3/4" 8 Piece Metric

PN: GX834SSM  
Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

#### 3/4" 8 Piece Imperial

PN: GX834SSI  
Sizes: 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



**HOT PRICE!** **\$189 ea**

## Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

### 1/2" 8 Piece Metric

PN: GX12HBSM  
Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

### 1/2" 8 Piece Imperial

PN: GX12HBSSI  
Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



**\$95 ea**



### 1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

**\$95**  
PN: GX12TX8

## Hex Drive Impact Socket Adapter Sets

Input: 1/4" Hex  
Output: 1/4", 3/8" & 1/2" Sq

Meet or exceed DIN & ANSI standards.

Made from Chrome Molybdenum Steel

**New!**



### 75 MM Adapter Set

**\$25**  
PN: MP005020

### 150 MM Adapter Set

**\$29**  
PN: MP005021

## Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

**\$21**

PN: GPA1523K

75 MM Quick-Lock Backing Pad

**\$28**

PN: GPA1524K



## Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

60 Grit PN: AB22012S60CP

80 Grit PN: AB22012S80CP

120 Grit PN: AB22012S120CP

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22013S36CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22013S120CP

**\$39 ea**

**\$39 ea**

## Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

60 Grit PN: AB22012F60CP

80 Grit PN: AB22012F80CP

120 Grit PN: AB22012F120CP

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22013F40CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22013F120CP

**\$29 ea**

**\$35 ea**

## Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

Fine Blue PN: GPA1527X10

Maroon Medium PN: GPA1528X10

Brown Coarse PN: GPA1526X10

75 MM Abrasive Pads

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1529X10

**\$37 ea**

**\$66 ea**

## Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 Grit 2" disc, 36 Grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



**\$36**

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



**\$48**

PN: GPK3

Abrasive & Sanding Pads made in USA.

## 8 Piece Flap Wheel Kit

Kit includes:

25 mm x 12 mm, 120 Grit, x 1  
25 mm x 25 mm, 40 Grit, x 1  
25 mm x 25 mm, 80 Grit, x 1  
40 mm x 25 mm, 60 Grit, x 1  
40 mm x 25 mm, 80 Grit, x 1  
50 mm x 25 mm, 80 Grit, x 1  
50 mm x 25 mm, 60 Grit, x 2

**\$59**

PN: GFWK



## Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

**\$33 ea**

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

**\$39 ea**

## Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

**\$14**

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

**\$18**

PN: GPA1575

## Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



**\$50**

PN: TS12



**\$37**

PN: PMC50

## Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



**\$35**

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



**\$45**

PN: GPA75

## Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad



**\$14**

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



**\$24**

PN: 119-102

## 150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.  
Max Speed: 12,000 RPM  
Pad Thickness: 10 mm

Velcro Backing Pad

**\$43**

PN: F6505



Dust Free Velcro Backing Pad

**\$47**

PN: F6565



## Rubber Turbo Backing Pads

- Specially designed air veins provide cooling air to sanding surface
- Lock Nut included



## 125 MM Backing Pad

Pad Thickness: 18 mm  
Max Speed: 10,000 RPM

M14 Int. PN: GTP162214

5/8" x 11 Int. PN: GTP162258

**\$35 ea**

## 180 MM Backing Pad

Pad Thickness: 18 mm  
Max Speed: 8,500 RPM

M14 Int. PN: GTP1737

5/8 x 11 Int. PN: GTP1736

**\$68 ea**

## Clean & Strip Discs

- Used for removal of paint and light rust
- Will not damage the original surface

Pack of 2



10 x 50 MM

**\$19**

PN: ABCH902P

10 x 75 MM

**\$30**

PN: ABCH903P

## 2" Cut off Discs

Disc Size: 50 x 1 mm  
Max Speed: 30,000 RPM  
Bore: 1/4"  
Pack of 10

**\$35**


PN: ABPCWHEELS



**flexipads**

WHAT QUALITY FEELS LIKE™

## Velcro Backing Pads



### 150 MM Velcro Pads

• Medium Pad Density  
Thread Size: 5/8" UNC Int.  
Pad Thickness: 12 MM  
Max Speed: 10,200 RPM

**\$60**

PN: FP36160

### 180 MM Velcro Pads

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 12 MM  
Max Speed: 8,500 RPM

**\$71**

PN: FP36170

### 200 MM Velcro Pads

• Medium Pad Density  
Pad Thickness: 12 MM  
Max Speed: 6,500 RPM

**\$71 EA**

M14 Int. Thread PN: FP36185

5/8" UNC Int. Thread PN: FP36190

## Velcro Interface Pads

Used in combination with rigid backing pads, interface pads avoid unwanted flat spots and achieve more consistent results, when working on rounded profiles.

Pad Dia.: 150 MM  
Pad Thickness: 12 MM  
Max Speed: 13,000 RPM



Standard

**\$19**

PN: FP32705

5 Hole Dust-Free

**\$20**

PN: FP32710

## 7" Nylon Backing Pads

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 20 MM  
Max Speed: 8,500 RPM

**\$32 EA**

M14 Int. Thread PN: FP20310

5/8" UNC Int. Thread PN: FP20305



## Nylon Backing Pads



### 100 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 15 MM  
Max Speed: 12,250 RPM

**\$25**

PN: FP20020

### 115 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 15 MM  
Max Speed: 12,250 RPM

**\$26**

PN: FP20115

### 125 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 16 MM  
Max Speed: 12,250 RPM

**\$26**

PN: FP20210

## Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.  
Max. speed: 2,500 RPM  
Thickness: 32 MM



**100% Merino Sheep Skin Wool!**

5" Merino Wool Sheep Skin Polishing Bonnet.

**\$32**

PN: FP40005

7" Merino Wool Sheep Skin Polishing Bonnet.

**\$41**

PN: FP40015

9" Merino Wool Sheep Skin Polishing Bonnet.

**\$49**

PN: FP40025

## 6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF  
Pad Thickness: 14 MM  
Max Speed: 12,000 RPM

**\$80**

PN: FP17000



**Suits Festool & Makita Sanders!**

# The WORKSHOP Catalogue

October 2023 - January 2024  
All prices quoted include GST.

Distributed by:



## Riveting Tools

### Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$55**

PN: GHTJ701

### Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$110**

PN: GHTTC20



## Hex key Sets

### Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

**\$39**

PN: GXHK9M

### Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

**\$47**

PN: GXHK13I

### 13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

**\$49**

PN: GXTX13

### 13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H

**\$49**

PN: GXTP13



## Air Tools

### Dual Chuck Tyre Inflator

Units: PSI, kg/cm<sup>2</sup>, KPA & Bar  
Air Flow: 1.28 CFM @ 100 PSI  
Hose Length: 750 mm  
Range: 0-220 PSI  
Weight: 1.2 Kg

**\$199**

PN: KP79G07



**GREAT FOR TRUCK TYRES**

### 4" Heavy Duty Extended Cut Off Tool

- Extended reach and ultra compact 39mm head is ideal for hard to access spaces

**QUICK RELEASE ADJUSTABLE GUARD!**



Free Speed: 14,000 RPM  
Length: 345 mm  
Weight: 0.45 Kg

**\$469**

PN: KP4413

### 3/8" Heavy Duty Drill

- Side mounted speed regulator

**HOT PRICE!**

Free Speed: 2300 RPM  
Spindle: 3/8-24 UNC  
Chuck Cap.: 3/8"  
Weight: 0.83 Kg

**\$149**

PN: KP5302



## P2 Respirators

**4 LAYER PROTECTION!**

Each respirator comes with 2 additional disposable P2 filters.



**HOT PRICE!**

GREEN PN: MPLR-P2FG  
BLACK PN: MPLR-P2B

**\$34 ea**



Proudly supporting Australian Military Veterans with percentage of all sales.



## Measuring Equipment

### 6-PIECE WELDING GAUGE SET

- 25 mm Outside micrometer (PN: AC-321-001-01)
- Pipe welding gauge (PN: AC-976-045-01)
- Welding Gauge (PN: AC-978-006-01)
- Welding Gauge (PN: AC-979-020-01)
- 150 mm Steel Rule (PN: AC-990-006-11)
- Magnifier

**New!**

**\$295**

PN: AC-280-000-56



Not all products in this brochure are available from all outlets. Prices may vary in some country areas due to freight costs. All products in this brochure were available at time of printing. M. Gamer Pty. Ltd. will do everything possible within reason to maintain stocks of products. M. Gamer Pty Ltd reserves the right to change prices without notice. All prices quoted include GST.